

Lamiglas®



W.A.S. with a fly caught chum salmon

XMG50 GRAPHITE

The Newest "Super" Graphite.

Specially designed for our new Esprit series, this new super graphite allows us to make smaller diameter blanks with faster action. The XMG50 utilizes a blend of high modulus graphite fibers to create a perfectly balanced, lightweight blank that is more sensitive than anything on the market today. We use this new material in our Esprit Concept Fly rods and Esprit Concept Salmon/Steelhead series.

IM700 GRAPHITE

Advanced Engineering and Superior Design.

IM700 is Lamiglas' proprietary rod blank material. This third generation graphite is made of extremely high modulus graphite and produces the ultimate in sensitivity, power, strength and durability. IM700 rod blanks come to you from Lamiglas in a rich black forest green finish.

CERTIFIED PRO GRAPHITE

Remarkably Lighter and Stronger.

Our broadest selection of rod blanks. They employ an all-new smaller-diameter blank design with an improved resin system to produce a 15 percent lighter weight rod than comparable graphites on the market. These rod blanks exhibit properties found only in second and third generation graphites. Superior performance at a great price!

G1000 GRAPHITE

Traditional, Classic-Style Action.

This is our most distinguished series of rod blanks. We use first generation graphite coupled with an improved resin formula to reduce overall rod blank weight while maintaining "classic" moderately fast actions. This series spans a broad range of actions, line ratings and specialty models to cover most fishing applications.

FIBERGLASS

E-Glass Earned Its Place In History.

This material is structurally the most durable of the fiberglass family. The glass properties are expressly matched to each unique application such as cranking rod blanks for bass; mooching and downrigger rod blanks for salmon, shark, tuna, strippers and king mackerel. We use the same epoxy resins and composites material technology in these rod blanks as we do in our graphite models to offer you lighter weight and improved sensitivity over other manufacturers' fiberglass rod blanks.

"TRI-FLEX"

Exclusive Graphite/Fiberglass Construction

Features our proprietary Tri-wall construction. Unequaled, high quality E-Glass rod blanks are externally and internally reinforced through the butt and mid portion of the blank with graphite to reduce overall weight by 30-50% depending on the model. The tips are lightning fast and softer so they cast live bait as well as throw heavy iron, while the graphite reinforced portion of the rod blank gives tremendous fish fighting control and lifting power.

S-GLASS / GRAPHITE

Classic Design Offshore Fly Blanks.

A standard modulus graphite core is covered by an outer layer of caramel colored S-Glass to create a blank that is incredibly strong and powerful that still has the ability to cast larger saltwater patterns. Currently available are 4 pc. spigot

Action Descriptions

Extra Fast: Flex in the upper 1/5 of the blank.

Fast: Flex in the upper 1/3 of the blank.

Medium: Flex through middle of the blank.

Slow: Flex through the butt of the blank.

“XMG50” Travel Graphite Fly High modulus graphite Polished finish

Model	Length	Sections	Line	Butt	Tip	Wt.	Price
ET 108 4	9'	4	4	0.445	4.5	1 1/2	205.20
ET 108 5	9'	4	5	0.428	4.5	1 1/2	205.20
ET 108 6	9'	4	6	0.435	5	1 3/4	205.20
ET 108 7	9'	4	7	0.450	5	2	226.80
ET 108 8	9'	4	8	0.445	5	2 3/16	226.80
ET 108 9	9'	4	9	0.460	5	2 5/16	248.40
ET 108 10	9'	4	10	0.470	5	2 3/8	270.00
*ET 108 12	9'	4	12	0.575	6	3	270.00
ET 114 7	9'6"	4	7	0.464	4	2 1/8	248.40

Spring Creek Travel Graphite Fly High Modulus Natural Graphite Polished Finish

Model	Length	Sections	Line	Butt	Tip	Wt.	Price
ET 783	6'6"	3	3	0.392	4	1/2	140.40
ET 843	7'	3	3	0.285	4	3/4	151.20
ET 904	7'6"	3	4	0.340	4.5	3/4	156.00
ET 963	8'	3	3	0.385	4	1	162.00
ET 965	8'	3	5	0.355	4.5	1 3/8	162.00
ET 1025	8'6"	3	5	0.410	4.5	1 3/8	174.00

G1000 Fly Graphite Polished Finish

Model	Length	Sections	Line	Butt	Tip	Wt.	Price
GF 108 4	9'	2	4	0.420	4	1 3/8	121.20
GF 108 5	9'	2	5	0.440	4.5	1 11/16	121.20
GF 108 6	9'	2	6	0.440	4.5	1 3/4	121.20
GF 108 7	9'	2	7	0.450	4.5	2 1/8	121.20
GF 108 8	9'	2	8	0.450	5.5	2 1/4	121.20
GF 108 9	9'	2	9	0.450	5	2 1/8	121.20
GF 108 10	9'	2	10	0.510	5	2 3/8	121.20
*GF 108 12	9'	2	12	0.548	7	3 5/8	121.20

International Graphite Fly Matte Black finish

Model	Length	Sections	Line	Butt	Tip	Wt.	Price
IFL 1085-4	9'	4	5	0.400	5	1 11/16	112.80
IFL 1086-4	9'	4	6	0.430	5	1 3/4	112.80
IFL 1088-4	9'	4	8	0.410	5	2	112.80
IFL 1089-4	9'	4	9	0.440	5	2	112.80
IFL 108 5	9'	2	5	0.350	5	1 5/8	54.00
IFL 108 6	9'	2	6	0.370	5	1 11/16	54.00
IFL 108 7	9'	2	7	0.390	5	1 11/16	54.00
IFL 108 8	9'	2	8	0.410	6	2 1/8	60.00
IFL 108 9	9'	2	9	0.400	6	2 1/4	60.00
IFL 108 10	9'	2	10	0.460	7	2 1/4	60.00

Fiberglass - Fly Traditional Honey Colour slow action blanks for small streams and light tippets.

Model	Length	Sections	Line	Butt	Tip	Wt.	Price
FL 783	6'6"	2	3	0.345	4.5	7/8	80.40
FL 843	7'	2	3	0.405	5.5	1 5/8	88.80
FL 904	7'6"	2	4	0.445	5.5	1 3/4	92.40
*FL 904-1	7'6"	1	4	0.420	5	1 3/8	75.60
FL 965	8'	2	5	0.490	6	2	92.40
FL 783-3	6'6"	3**	3	0.390	5.5	1 1/4	135.60
FL 843-3	7'	3**	3	0.405	5.5	1 3/5	146.40
FL 904-3	7'6"	3**	4	0.440	5.5	1 3/8	153.60
FL 965-3	8'	3**	5	0.450	6	2 1/4	159.60
FL 783-6	6'6"	6**	3	0.390	6	1 3/4	156.00
FL 843-6	7'	6**	3	0.405	5.5	1 5/8	170.40
FL 904-6	7'6"	6**	4	0.450	5.5	1 3/4	177.60
FL 965-6	8'	6**	5	0.450	6	1 7/8	183.60

** Spigot Ferrules

Ti2000/IM700 Salmon/Steelhead Hand Polished Natural IM700 Graphite-Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
TIMSH 102 2MT	8'6"	2	8-17	3/8- 1 1/4	0.605	5	3 7/8	453.60
TIMSH 102 2H	8'6"	2	12-25	1/2-3/4	0.605	5.5	4	453.60
TIMSH 114 2MT	9'6"	2	8-17	1/4-5/8	0.600	5	4 3/16	453.60

"XMG 50" Graphite Salmon & Steelhead Polished Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
XMG 105 2MT	8'9"	2	10-20	1/2-1 3/8	0.456	4.5	2 1/8	162.00
*XMG 110 2M	9'2"	2	8-15	1/4-5/8	0.576	5	3	162.00
XMG 114 2LL	9'6"	2	4-8	1/8-3/8	0.445	4	1 11/16	162.00
XMG 114 2L	9'6"	2	6-10	1/4-1/2	0.456	5	2 1/8	162.00
XMG 114 2M	9'6"	2	6-12	3/8-3/4	0.550	4.5	3	162.00
XMG 120 2M	10'	2	8-15	3/8-3/4	0.600	4.5	2 7/8	183.60
XMG 126 2ML	10'6"	2	6-12	3/8-3/4	0.674	4	2 13/16	183.60



Certified Pro - Salmon & Steelhead Graphite Translucent Brown-Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
XLB 96 1MT	8'	1	25	1/2-2	0.645	6.5	4 1/2	108.00
XSH 102 2M	8'6"	2	8-12	3/8-3/4	0.480	5.5	2 1/4	121.20
XSH 102 2MT	8'6"	2	8-17	1/4-5/8	0.549	5	2 7/8	121.20
XSH 105 2MT	8'9"	2	10-20	1/2-1 3/8	0.606	5.5	2 3/4	121.20
*XSH 108 2MMT	9'	2	8-15	1/4-5/8	0.624	5	3 3/16	124.80
XSA 108 2H	9'	2	15-30	1-2 1/2	0.560	6.5	3 1/2	124.80
XSH 114 2LL	9'6"	2	4-8	1/8-3/8	0.460	4.5	1 7/8	124.80
XSH 114 2L	9'6"	2	6-10	1/8-1/2	0.475	4.5	2 1/8	124.80
XSH 114 2M	9'6"	2	8-12	3/8-3/4	0.490	5.5	2 5/8	124.80
XSH 114 2MT	9'6"	2	8-17	1/4-5/8	0.620	5	3 5/8	124.80
XSH 114 2MJ	9'6"	2	6-15	1/4-1/2	0.465	6.5	3 3/16	124.80
XSH 120 2M	10'	2	8-12	3/8-3/4	0.503	5.5	2 7/8	140.40
XSH 120 2MT	10'	2	8-17	1/4-5/8	0.660	5	4 1/8	140.40
XSH 120 2MH	10'	2	10-20	1/2-1 1/2	0.575	6.5	3 3/4	140.40
XSH 126 2ML	10'6"	2	6-10	1/4-3/4	0.495	4.5	2 5/8	140.40
XSH 126 2M	10'6"	2	8-12	3/8-3/4	0.510	5.5	2 3/4	140.40
XSH 126 2MH	10'6"	2	10-20	1/2-1 1/2	0.640	6.5	3 5/8	140.40
XSH 126 2XH	10'6"	2	15-40	2-6	0.735	6.5	6 7/8	172.80
XSH 132 2MH	11'	2	10-20	1/2-1 3/4	0.615	6.5	4	172.80
XSH 135 2M	11'3"	2	8-15	3/8-3/4	0.629	5.5	4 3/16	172.80
XSH 156 3L	13'	3	6-10	1/4-1/2	0.610	5	4 5/16	172.80

Certified Pro Fiberglass Salmon & Steelhead Gloss Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
BSP 961	8'	1	6-15	1/4-3/4	0.548	6	3 1/2	64.80
BSP 962	8'	1	10-20	1/2-2	0.614	5	4	69.60
BMB 96 1E	8'	1	12-30	1/2-1 1/2	0.880	6.5	4 1/2	86.40
BXCF 102 2M	8'6"	2	10-20	3/8-1 1/4	0.680	7	4 7/8	97.20
BXCF 102 2H	8'6"	2	12-25	1/2-1 3/4	0.785	7	5 3/4	97.20
BXCF 108 2MH	9'	2	10-25	1/2-1 1/2	0.715	7	5 1/8	97.20
BXCF 108 2H	9'	2	12-25	1/2-2	0.843	6.5	6 3/16	99.60
BSH 126 4F	10'6"	2	10-20	1/4-3/4	0.820	7	7 1/4	129.60
BSH 126 5F	10'6"	2	12-25	1/2-1	0.740	7	8	129.60

Rogue River Salmon & Steelhead Graphite "Forest Green" gloss finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
RR 90 2MT	7'6"	2	6-12	1/8-1/2	0.495	5	2 1/4	97.20
RR 102 2MT	8'6"	2	10-25	3/8-2	0.513	5.5	2 3/4	114.00
RR 102 2H	8'6"	2	12-30	1/2-2 1/2	0.585	6.5	4 3/16	114.00
RR 108 2ML	9'	2	6-10	1/8-1/2	0.440	4.5	2 3/16	114.00

G1000 Steelhead, Salmon & Saltwater Spinning Graphite Polished Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
GSH 90 1MT	7'6"	1	8-17	1/4-1 3/4	0.585	5	3	96.00
GFP 90 MH	7'6"	1	8-17	3/8-2	0.580	6.5	2 13/16	78.00
GSH 90 2MT	7'6"	2	8-17	1/4-3/4	0.540	4.5	2 1/8	99.60
GLB 90 2ML	7'6"	2	10-25	1/2-2	0.630	6.5	3 1/8	116.40
GLB 90 1M	7'6"	1	10-30	3/4-2 1/4	0.576	6.5	3 1/8	99.60
GLB 90 2M	7'6"	2	15-30	3/4-3 1/2	0.625	7	3 3/16	118.80
*CGLB 93 1MT	7'9"	1	12-30	1/2-2 1/2	0.624	5.5	4 7/8	121.20
GLB 93 1MH	7'9"	1	15-40	2-8	0.605	7	3 3/8	99.60
GSH 96 1MT	8'	1	10-20	3/8-2	0.612	5	3 3/16	97.20
GSH 102 2MT	8'6"	2	8-17	3/8-1 1/2	0.555	5	2 11/16	123.60
GSH 102 2M	8'6"	2	8-12	3/8-3/4	0.493	5	2 5/8	108.00
GSH 102 2MH	8'6"	2	10-20	1/2-1 1/2	0.525	5.5	2 7/8	116.40
GSA 102 2H	8'6"	2	12-25	1/2-1 3/4	0.519	5.5	2 3/4	123.60
GSH 102 2HX	8'6"	2	15-25	1/2-2	0.576	6.5	4 3/16	127.20
GSH 102 2X	8'6"	2	12-30	3/4-2 1/2	0.655	6.5	4 5/8	148.80
GSH 108 2L	9'	2	6-10	1/8-1/2	0.440	4.5	2 1/8	108.00
GSH 108 2M	9'	2	8-12	3/8-3/4	0.550	5.5	3	112.80
GLB 108 2ML	9'	2	20	1-2 1/2	0.713	6.5	5 11/16	153.60
GLB 108 2MH	9'	2	30	1-3	0.787	7.5	6 1/8	153.60
GSH 108 2H	9'	2	12-25	1/2-1 3/4	0.560	6	3 5/8	121.20
GSH 108 2HX	9'	2	12-30	1-6	0.605	6.5	4 1/2	138.00
GSH 114 2L	9'6"	2	4-10	1/8-1/2	0.470	4.5	2 3/16	112.80
GSH 126 2MH	10'6"	2	10-20	1/2-2 1/2	0.596	6.5	3 5/8	146.40

International Steelhead & Salmon Graphite Matte Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
ISS 102 2M	8'6"	2	8-12	3/8-3/4	0.510	5	3	64.80
ISS 102 2MH	8'6"	2	10-20	1/2-1 1/2	0.520	6	3 3/8	64.80
ISS 102 2H	8'6"	2	12-25	1/2-1 3/4	0.530	7	3 1/4	64.80
ISS 114 2ML	9'6"	2	6-10	1/8-1/2	0.490	6	2 3/4	64.80
ISS 126 2ML	10'6"	2	6-10	1/8-1/2	0.510	5	2 5/8	69.60

Lamiglas®

International Classic Glass Dark Brown Gloss Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
ICG 98 2DR	8'2"	2	8-20	3/8-1	0.640	7	4 5/8	43.20
ICG 102 2MH	8'6"	2	10-20	3/8-1	0.670	7	5 3/8	43.20
ICG 105 2MH	8'9"	2	15-30	3/4-4	0.740	8	6 1/4	43.20
ICG 108 2DR	9'	2	15-30	3/4-4	0.760	6	6 1/4	43.20

Super Surf Graphite Surf Blanks High Gloss Metallic Forest Green Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
*SSU 108 1L	9'	1	12-17	1/2-2 1/2	0.695	6.5	5 1/2	216.00
SSU 108 1M	9'	1	15-25	1-4	0.755	7	5 1/8	237.60
SSU 108 2ML	9'	2	12-20	3/8-2	0.725	6.5	4 3/8	259.20
SSU 120 1L	10'	1	12-25	1-3	0.760	8	6 1/8	259.20
SSU 120 1M	10'	1	14-30	1-4	0.780	9	11 1/2	302.40
SSU 120 1MH	10'	1	17-40	2-6	1.030	9	8 1/2	324.00
SSU 120 2MH	10'	2	17-40	2-6	0.968	7.5	7 11/16	345.60
SSU 126 2MH	10'6"	2	20-40	4-8	1.018	8	9 3/16	378.00
SSU 132 1MH	11'	1	20-40	4-8	0.830	9	9	356.40
SSU 132 2MH	11'	2	20-40	4-8	1.080	8	10 3/16	399.60
*SSU 121 2MH	10'	2	17-70	2-6	0.562	8	11 5/16	358.80
*SSU 125 2MH	10'5"	2	17-40	2-6	0.574	8	12	372.00
*SSU 128 2MH	10'8"	2	17-40	2-6	0.595	8	12 11/16	380.40
*SSU 133 2MH	11'	2	17-40	4-8	0.649	8	13 3/8	409.20
*SSU 137 2MH	11'5"	2	17-40	4-8	0.670	8	14 1/2	426.00
*SSU 140 2MH	11'8"	2	17-40	4-8	0.688	8	15 1/8	434.40
*SSU 121 2H	39"	1	N/A	N/A	0.562	0.385	7	172.80
*SSU 125 2H	44"	1	N/A	N/A	0.574	0.385	7 11/16	172.80
*SSU 128 2H	47"	1	N/A	N/A	0.595	0.385	8 3/8	172.80
*SSU 133 2H	39"	1	N/A	N/A	0.649	0.450	8	172.80
*SSU 137 2H	44"	1	N/A	N/A	0.670	0.450	9 1/8	172.80
*SSU 140 2H	47"	1	N/A	N/A	0.688	0.450	9 11/16	172.80

Ron Arra Surf Series Graphite Translucent Brown Colored Blanks-Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
XRA 96 1M	8'	1	10-20	1/2-2	0.608	7	3 5/8	151.20
XRA 102 2M	8'6"	2	12-25	1/2-2	0.670	6	4 1/2	194.40
XRA 108 3	9'	1	12-17	1/2-2 1/4	0.719	6	5 5/8	216.00
XRA 108 3-2	9'	1	12-17	1/2-2 1/4	0.630	6.5	5 1/2	237.60
XRA 108 4	9'	1	15-30	1-4	0.730	7	7 1/2	237.60
XRA 108 4-2	9'	2	15-30	1-4	0.710	7.5	6 5/8	259.20
XRA 120 3-2	10'	2	12-20	3/4-2 1/2	0.800	10	7 5/8	280.80
XRA 120 4	10'	1	15-25	1-4	0.800	7	9	280.80
XRA 120 5	10'	1	15-30	1-4	0.845	10	10 1/4	313.20
*XRA 120 5-2	10'	2	15-30	1-4	0.685	9	9 11/16	334.80
XRA 1321-2	11'	2	12-20	7/8-3	0.722	10	9 3/8	334.80
XRA 132 2	11'	1	15-30	1-5	0.910	10	11 1/4	334.80
XRA 132 2-2	11'	2	15-30	1-5	0.789	10	11 3/8	356.40

Makoi Elite Long Distance Graphite Blanks

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
*GME 150 2MH-F	12'6"	2	20	4-6	0.920	10	20 3/4	510.00
*GME 150 2MH-MF	12'6"	2	20	4-6	0.900	10	20 5/8	510.00
*GME 150 2MH-M	12'6"	2	20	4-6	0.880	10	20 7/16	510.00
*GME 156 2MH-F	13'0"	2	20	4-6	0.940	10	21	522.00
*GME 156 2MH-MF	13'0"	2	20	4-6	0.920	10	20 7/8	522.00
*GME 156 2MH-M	13'0"	2	20	4-6	0.900	10	20 5/8	522.00
*GME 162 2MH-F	13'6"	2	20	4-6	0.940	10	23 1/8	540.00
*GME 162 2MH-MF	13'6"	2	20	4-6	0.920	10	22 15/16	540.00
*GME 162 2MH-M	13'6"	2	20	4-6	0.900	10	22 13/16	540.00

G1000 Surf/Bar Graphite High Gloss Clear Coat

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
GSB 108 1L	9'	1	30	1/2-2 1/2	0.690	6.5	5	156.00
GSB 108 1M	9'	1	30	1-3	0.760	7.5	5 3/16	162.00
GSB 120 1L	10'	1	30	2-6	0.765	10	6 3/8	183.60
GSB 120 1M	10'	1	40	4-12	0.790	11	11 3/4	194.40
GSB 120 2L	10'	2	30	2-5	0.775	7.5	4 5/8	194.40
GSB 120 2M	10'	2	40	4-12	0.870	8	5 1/2	205.20
GSB 120 4M	10'	4	25	2-4	0.878	9	5 13/16	229.20
GSB 122 1MH	10'2"	1	40	6-12	1.045	17	8 7/8	216.00
GSB 132 1L	11'	1	30	2-6	0.835	10	8 1/4	194.40
GSB 132 2L	11'	2	30	2-5	0.820	10	7 3/8	259.20
GSB 132 1M	11'	1	40	4-12	0.840	11	9 1/8	216.00
GSB 132 2M	11'	2	40	4-10	0.845	11	10 1/8	280.80
GSB 136 1MH	11'6"	1	50	6-16	1.115	17	10 1/4	237.60
GSB 144 2MH	12'	2	50	6-16	1.000	10	11	324.00
GSB 150 2MH	12'6"	2	50	6-16	1.085	9	12 7/8	367.20
GSB 162 1MH	13'6"	1	50	6-16	1.230	14	14 1/8	291.60
*GSB 180 2M	15'	2	40	4-8	1.089	13	14	324.00
*GSB 180 2MH	15'	2	50	6-12	1.176	7.5	19 5/16	410.40

"Tri Flex" Surf Series High Gloss Clear Coat Moderate/Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
CSB 102 2L	8'6"	2	10-17	1/2-2 1/4	0.695	9	6 1/2	136.80
CSB 108 2M	9'	2	10-30	1-3	0.828	8	5 5/8	162.00
CSB 114 2M	9'6"	2	12-30	1-3	0.845	8	6	175.20
CSB 120 2M	10'	2	12-30	3-8	0.900	9	6 3/4	181.20
*CSB 126 1M	10'6"	1	20	1-4	0.812	11	11 1/2	183.60

Fiberglass Surf

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
SB 121 3M	10'	1		4-6	0.995	14	11 3/4	134.40
SB 136 2M	11'6"	1		3-5	1.095	11	9 1/2	121.20
SB 136 3M	11'6"	1		4-8	1.080	13	13 5/8	132.00
SB 160 4M	13'6"	1		6-12	1.200	13	20 5/8	166.80
SB 160 6M	13'6"	1		12-20	1.330	18	41	266.40
SB 166 5F	13'8"	1		6-16	1.320	13	26 3/4	220.80
*SB 166 5F-2	13'8"	2		6-16	1.320	13	38	280.80

International Graphite Surf Matte Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
ISU 96 1M	8'	1	10-17	1/2-2	0.710	8	3 5/8	84.00
ISU 108 2M	9'	2	10-17	5/8-2	0.640	8	4 7/8	91.20
ISU 120 2M	10'	2	14-30	2-4	0.760	11	4 3/8	97.20
ISU 120 2MH	10'	2	17-40	3-8	0.900	9	6 1/2	114.00
ISU 132 2MH	11'	2	17-40	3/8	0.920	9	7 1/4	142.80

Fiberglass Boat & Trolling

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
BT 85 7S	7'	1	40		0.785	16	7 1/4	84.00
BT 96 3M	8'	1	30		0.765	8	7 1/8	97.20
BT 108 3M	9'	1	30		0.846	9	9 1/4	105.60

Tri-Flex Boat & Trolling High Gloss Clear Coat Charcoal/Black

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
CGBT 78 1L	6'6"	1	20		0.681	7.5	4 3/16	86.40
CGBT 78 1ML	6'6"	1	25		0.728	8	5 3/4	102.00
CGBT 78 1M	6'6"	1	30		0.725	9	5 1/2	105.60
CGBT 78 1MH	6'6"	1	20-40		0.790	9	6 1/4	108.00
CGBT 84 1L	7'	1	20		0.715	7.5	4 1/4	92.40
CGBT 84 1ML	7'	1	25		0.732	8	5 3/8	105.60
CGBT 84 1M	7'	1	30		0.750	9	6 3/4	116.40
CGBT 84 1MH	7'	1	20-40		0.812	9	7 3/8	118.80
*CGBT 108 1M	9'	1	15-30		0.764	9	11 1/2	162.00

Heavy Jigging & Saltwater-Composite Clear Gloss Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
CHJ 6630	5'6"	1	20-40	N/A	0.770	10	5 3/8	86.40
CHJ 6650	5'6"	1	50-65	8-16	0.800	10	6 13/16	97.20
CHJ 6680	5'6"	1	50-80	12-20	0.846	13	11 3/4	108.00
GFC 72 XXH	6'	1	80	N/A	0.850	13	11 2/3	108.00
GFC 84 H	7'	1	20-50	1-4	0.870	7	11	108.00
NZ 84 2M**	7'	2	12-30	1-3	0.600	7	3 1/8	116.40
NZ 90 2XH	7'6"	2	65-100	4-10	0.720	10	9	199.20
*NC 96 2H	8'	2	20-40	1-4	0.750	7.5	8	166.80
NZ 102 2XH	8'6"	2	20-50	6-12	0.815	10	10 3/8	172.80

Tri Flex IGFA High Gloss Clear Coat

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
CGRT 30	5' 3 1/4"	1	12-20		0.700	14	5 13/16	88.80
CGRT 50	5' 3 1/4"	1	30-50		0.731	15	6 11/16	99.60
CGRT 80	5' 7/8"	1	50-80		0.862	16	10 1/2	124.80

Regulation IGFA Fiberglass

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
BRT 20	5'2 1/2	1	20		0.750	14	5 7/8	66.00
BRT 30	5'2 1/2	1	30		0.760	15	7	75.60
BRT 50	5'3"	1	50		0.885	16	10 1/8	86.40
BRT 80	5'6"	1	80		0.995	24	17 1/4	108.00
BRT 130	5'6"	1	130		1.185	26	21 3/4	162.00

International Saltwater Fiberglass Matte Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
ISW 60 XXH-ST**	5'	1	50-100		0.730	11	8 5/16	64.80
ISW 66 H-ST**	5'6"	1	30-50		0.752	10	7 13/16	64.80
ISW 66 XXH-ST**	5'6"	1	50-100		0.760	12	9 7/8	64.80
*ISW 66 XXHMF-ST**	5'6"	1	50-100		0.786	12	8 3/8	60.00
*ISW 66 XXHF-ST**	5'6"	1	50-100		0.822	12	13 3/8	64.80
ISW 72 XH-ST**	6'	1	30-80		0.760	12	11 1/8	62.40
ISW 78 H	6'6"	1	20-50		0.790	9	8 3/8	60.00
ISW 78 XH	6'6"	1	30-80		0.870	10	15 1/4	62.40
ISW 84 MH	7'	1	12-30		0.790	8	6 1/8	51.60
ISW 84 H	7'	1	20-50		0.850	9	10 3/8	67.20
ISW 96 MH	8'	1	12-30		0.740	9	6 1/4	54.00

**Solid Glass Tip

International Sardina Fiberglass Gloss Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
I 655 H	5'6"	1	30-80		0.845	11	10 1/2	64.80
I 665	6'6"	1	20-50		0.880	9	9	60.00
I 665 H	6'6"	1	30-60		0.900	10	10 1/2	64.80
I 270	7'	1	12-25		0.890	8	9	60.00
I 670	7'	1	20-40		0.850	10	9 1/4	60.00
I 870	7'	1	15-30		0.845	9	8 7/8	60.00

Fiberglass Light Saltwater & Live Bait

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
MB 84 1E	7'	1		1/2-1 1/2	0.775	6.5	3 3/8	69.60
MB 84 2F	7'	1		3/4-2 1/4	0.775	7	3 1/2	69.60
MB 90 1F	7'6"	1		1/4-1	0.845	6.5	4 1/8	86.40
MB 90 3F	7'6"	1		1/2-1 1/2	0.840	7	6	86.40
MB 96 1E	8'	1		1/2-1 1/2	0.880	6.5	4 1/2	86.40
MB 96 3M	8'	1		1-3	0.850	7	5 3/4	92.40
MB 108 3M	9'	1		1-3	0.935	7	6	97.20
MB 114 3F	9'3"	1		1-3 1/2	0.940	7.5	9 3/4	110.40

G1000 Live Bait Graphite High Gloss Clear Coat-Moderate/Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
GLB 84 1M	7'	1	20	3/4-2 1/4	0.585	6.5	3 1/8	94.80
GLB 90 1M	7'6"	1	30	3/4-2 1/4	0.576	6.5	3 1/8	99.60
GLB 90 1MT	7'6"	1	30	1/2-2 1/4	0.600	6.5	3 1/4	104.40
GLB 90 2ML	7'6"	2	39746	1/2-2	0.630	6.5	3 1/8	116.40
GLB 90 2M	7'6"	2	30	3/4-3 1/2	0.625	7	3 3/16	118.80
GLB 93 1MH	7'9"	1	15-40	2-8	0.605	7	3 3/8	99.60
GLB 96 1M	8'	1	30	3/4-2 1/4	0.610	6.5	3 5/8	108.00
GLB 108 1M	9'	1	25	3/4-2 1/4	0.690	6.5	5	129.60
GLB 108 1MH	9'	1	30	1-3 1/2	0.760	7.5	5 3/16	140.40
GLB 108 2ML	9'	2	20	1-2 1/2	0.713	6.5	5 11/16	153.60
GLB 108 2MH	9'	2	30	1-3	0.787	7.5	6 1/8	172.80

Tarpon Blanks Casting & Spinning Fiberglass Gloss Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
TT 9050-01	9'	1	50	6-12	0.775	13	14	108.00
TT 9050-02	9'	1	50	6-16	0.780	13	14	108.00
TT 9050-29	9'	1	50	8-16	0.850	13	14	108.00

Inshore Classic Graphite Translucent Pearl/Blue Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IC 78 MH	6'6"	1	8-17	1/2-2	0.645	6.5	3 1/4	92.40
IC 78 H	6'6"	1	15-30	3/4-3	0.635	7.5	3 3/4	92.40
IC 84 ML	7'	1	10-20	1/2-1 1/2	0.520	5.5	2 1/4	86.40
IC 84 M	7'	1	12-20	1/2-2	0.583	6.5	3 1/8	88.80
IC 84 MH	7'	1	12-25	1/2-3	0.690	7	3 3/4	94.80
IC 84 H	7'	1	15-30	1-4	0.710	7	5 1/4	116.40
IC 90 MH	7'6"	1	12-25	1/2-3	0.690	5.5	2 5/8	94.80
IC 90 H	7'6"	1	12-25	1/2-3	0.705	5.5	2 7/8	136.80
IC 96 H	8'	1	12-25	1/2-2 1/2	0.610	6.5	3 3/4	116.40

Tri-Flex Graphite Inshore High Gloss Clear Coat Charcoal/Black

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
TXC 84 1ML	7'	1	12-20	1/2-2 1/2	0.699	8	4 11/16	102.00
TF 8430	7'	1	8-20	1/2-2 1/2	0.720	9	5 5/8	103.20
TF 8440	7'	1	8-20	1/2-2 1/2	0.742	8	6 13/16	118.80
GTF 84 1M	7'	1	15-30	3/4-3	0.708	7.5	5 13/16	132.00
TXC 84 1M	7'	1	15-30	3/4-3	0.700	8	4 7/8	103.20
GTF 90 1MH	7'6"	1	20-50	6-16	0.770	7.5	6 13/16	124.80
TXC 92 1ML	7'8"	1	12-20	1/2-2 1/2	0.750	8	4 7/8	121.20
TXC 92 1M	7'8"	1	15-30	3/4-3	0.760	8	5	127.20
TXC 96 1ML	8'	1	12-20	1/2-2 1/2	0.780	8	5 1/2	129.60
TXC 96 1M	8'	1	15-30	3/4-3	0.800	8	6	134.40

Indian River Texalium/Graphite Bronze Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
*TLP 842	7'	1	4-10	1/8-3/8	0.520	4.5	1 13/16	186.00
*TLP 843	7'	1	6-15	1/4-1/2	0.551	4.5	2 3/8	204.00
*TLP 844	7'	1	8-17	3/8-3/4	0.558	4.5	2 5/8	205.20
*TLP 903	7'6"	1	6-15	1/4-1/2	0.580	4	2 11/16	216.00
*TLP 904	7'6"	1	8-17	3/8-3/4	0.585	4.5	2 13/16	216.00

Texalium Inshore Translucent Blue Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
TEX 84 1ML	7'	1	12-20	1/2-2 1/2	0.717	7.5	6	140.40
TEX 84 1M	7'	1	15-30	3/4-3	0.706	7.5	5 1/2	147.60
TEX 92 1ML	7'8"	1	12-20	1/2-2 1/2	0.762	7.5	6 1/2	166.80
TEX 92 1MML	7'8"	1	12-25	1/2-2 3/4	0.779	8	6 13/16	170.40
TEX 92 1M	7'8"	1	15-30	3/4-3	0.751	7.5	6	172.80
TEX 96 1ML	8'	1	12-20	1/2-2 1/2	0.807	7.5	7	169.20
TEX 96 1M	8'	1	15-30	3/4-3	0.796	7.5	6 1/2	172.80

Kayak Series Tri-Flex Graphite Clear Gloss Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
TF 86 30	7'2"	1	15-30	1-3	0.557	6.5	3 1/16	91.20
TF 90 15	7'6"	1	6-15	1/4-1	0.648	6.5	3 3/16	91.20
TF 90 20	7'6"	1	8-20	1/2-1 1/2	0.692	6.5	4 1/2	92.40
TF 90 25	7'6"	1	12-25	3/4-3	0.662	6.5	4 13/16	94.80
TF 90 40	7'6"	1	20-40	1-4	0.680	6.5	5 7/8	103.20

Graphite 2pc Telescoping Outrigger Blank

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
*GO 126-2	10'6"	2	N/A	N/A	0.645	12	9 13/16	194.40

Travel Series Graphite

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IMP 843-3	7'	3	6-15	1/4-1/2	0.500	5	1 3/4	129.60
IMP 844-3	7'	3	8-17	3/8-3/4	0.505	5	1 7/8	134.40
CGBT 84 3M	7'	3	15-30	1/2-1 1/2	0.720	9	6 1/4	202.80
XT 8425	7'	3	12-25	3/8-1 1/2	0.535	6	2 13/16	148.80
XT 102 3H	8'6"	3	12-25	1/2-1 3/4	0.665	6	3 3/16	158.40
GSB 120 4M	10'	4	12-25	2-4	0.878	9	5 13/16	229.20

Graphite Muskie Polished Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
LGM 84 1MH	7'	1	15-35	3/4-3	0.705	7.5	4 1/2	123.60
LGM 84 1H	7'	1	17-40	1-6	0.800	8	3 7/8	126.00
LGM 84 1XH	7'	1	20-50	2-8	0.740	9	6 5/8	136.80
LGM 90 1H	7'6"	1	17-40	1-8	0.760	7.5	6 3/8	164.40
LGM 96 1H	8'	1	15-40	1-8	0.630	6.5	4 1/8	166.80
LGM 96 1XH	8'	1	20-50	1-8	0.645	7.5	4 3/4	170.40
LGM 102 1XH	8'6"	1	20-50	1-8	0.675	7.5	5 3/8	183.60
*CGBT 108 1M	9'	1	15-30	1-8	0.764	9	11 1/2	162.00

Graphite 1pc "Swimbait" and "Flippin" Blanks Polished Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
XLB 90 1MH	7'6"	1	15-30	1-6	0.597	7	3 5/8	105.60
IM 92 5F	7'8"	1	10-20	3/8-1 1/2	0.570	6.5	2 13/16	118.80
IM 92 6F	7'8"	1	12-25	1/2-2	0.583	7	3 11/16	118.80
IM 92 7F	7'8"	1	15-30	3/4-3	0.590	6.5	4 1/16	118.80
IM 95 6F	7'11"	1	12-25	1/2-2	0.576	6.5	3 1/2	121.20
XC 967	8'	1	15-30	1-6	0.640	7	4	108.00

Composite Crankbait High Gloss Clear Coat-Fiberglass/Graphite Composite

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
CCB 84 4M	7'	1	6-15	1/4-1	0.609	6.5	2 13/16	62.40
CCB 84 4MF	7'	1	6-15	1/4-1	0.614	6.5	2 7/8	62.40
CCB 84 5M	7'	1	8-20	3/8-1 1/2	0.778	6	2 5/16	62.40
*CCB 86 4M	7'2"	1	12-25	1/4-3/4	0.616	6	3	75.60
*CCB 86 5MF	7'2"	1	15-30	1/4-1	0.612	6	3	75.60
GFP 90 MH	7'6"	1	8-17	3/8-2	0.580	6.5	2 13/16	78.00

Fiberglass Crankin' Gloss Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
BXC 78 5F	6'6"	1	12-25	3/8-3/4	0.670	6	2 7/8	51.60
BXC 84 5F	7'	1	12-25	3/8-3/4	0.680	6	3 1/4	51.60
BMB 84 1E	7'	1	8-20	1/2-1 1/2	0.775	6.5	3 3/8	64.80

XMG Magnum Action Spin/Cast XMG 50 Material Natural Polished Blank

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
LMB 843	7'	1	10-17	1/4-3/4	0.514	6	2 1/3	129.60
LMB 845	7'	1	12-25	5/8-1 1/4	0.560	6.5	2 11/16	129.60
LC 862	7'2"	1	8-15	1/4-5/8	0.519	5	1 13/16	88.80
LMB 864	7'2"	1	12-20	1/4-1	0.557	6.5	2 13/16	129.60

XMG Fast Action Spin & Jig XMG 50 Material Natural Polished Blank

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
LSJ 781	6'6"	1	6-10	1/16-5/16	0.479	5	7/8	86.40
LSJ 783	6'6"	1	6-15	3/8-3/4	0.492	5.5	1 3/16	86.40
LSJ 842	7'	1	6-12	1/8-3/8	0.500	5.5	1 3/16	86.40
LSJ 861	7'2"	1	6-10	1/16-5/16	0.517	5	1 3/16	94.80
LSJ 862	7'2"	1	6-12	1/8-3/8	0.512	5.5	1 5/16	86.40

XMG Popping XMG 50 Material Natural Polished Blank

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
LP 842	7'	1	6-12	1/8-1/2	0.492	4.5	1 1/8	99.60
LP 843	7'	1	6-15	1/4-1/2	0.537	4.5	1 11/16	99.60
LP 844	7'	1	8-17	1/4-5/8	0.545	4.5	1 13/16	99.60

IM700 Popping Graphite Fast Action, Polished Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IMP 843	7'	1	6-15	1/4-1/2	0.485	4.5	1 1/2	86.40
IMP 844	7'	1	8-17	3/8-3/4	0.500	5	2 1/8	86.40
*IMP 874	7'3"	1	8-17	1/4-3/4	0.520	5	2 3/16	88.80
IMP 903	7'6"	1	6-15	1/4-1/2	0.505	4.5	1 3/4	97.20
IMP 904	7'6"	1	8-17	3/8-3/4	0.520	5	2 1/4	97.20

Graphite Popping

*XP 783	6'6"	1	4-8	1/16-1/8	0.460	4.5	1 1/2	75.60
---------	------	---	-----	----------	-------	-----	-------	-------

International Graphite Popping Matte Black Finish

IP 843	7'	1	6-15	1/4-1/2	0.465	5	1 3/8	64.80
IP 844	7'	1	8-17	3/8-3/4	0.500	6	2	86.40
IP 903	7'6"	1	6-15	1/4-1/2	0.480	5	1 3/4	75.60
IP 904	7'6"	1	8-17	3/8-3/4	0.495	5	1 3/4	91.20

Skeet Reese Series Fiberglass* and Graphite. Honey Glass**

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
MB 84 1E*	7'	1	8-20	1/2-1 1/2	0.775	6.5	3 3/8	69.60
MB 90 1F*	7'6"	1	8-20	1/4-1	0.845	6.5	4	86.40
IMB 968-T**	8'	1+	20-30	1/2-2	0.721	7	4	162.00
IMP 883**	7'4"	1	6-12	1/8-3/8	0.508	4.5	2 1/8	86.40

Certified Pro Pitchin' & Flippin'

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IMC 905-T	7'6"	1+	10-20	1/4-1	0.640	6	3 1/8	129.60
IMC 906-T	7'6"	1+	15-30	3/8-2	0.650	6.5	3 3/16	129.60
IMC 937-T	7'9"	1+	15-30	3/8-2	0.670	9	3 1/8	134.40
XC 96 HT	8'	1+	15-30	3/8-2	0.655	6.5	3 1/2	134.40

IM 700 Casting Graphite Polished Finish-Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IMC 781	6'6"	1	6-17	1/4-5/8	0.470	5	1 7/8	86.40
IMC 784	6'6"	1	10-20	3/4-1	0.487	5.5	1 15/16	86.40
IMC 785	6'6"	1	12-25	3/8-1 1/2	0.550	5.5	2 1/4	86.40
DTIMC 84 M	7'	1	10-20	1/4-1	0.536	5.5	2 3/16	97.20
IMC 845	7'	1	12-25	3/8-1 1/2	0.595	5.5	2 3/4	94.80
IMC 864	7'2"	1	8-17	1/4-1	0.551	5.5	3	94.80
IMC 865	7'2"	1	12-25	3/8-1 1/2	0.597	7	3 5/8	94.80

IM 700 Spinning Graphite Polished Finish-Fast Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IMS 781	6'6"	1	6-17	1/4-5/8	0.485	5	1 7/8	91.20
IMS 783	6'6"	1	8-20	3/8-3/4	0.530	5	2	91.20
IMS 843	7'	1	10-20	3/8-3/4	0.520	5	2 3/8	91.20

Don Iovino Series Graphite

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
*GW 74 ML	7'2"	1	6-15	1/8-3/8	0.515	5.5	1 7/8	64.80
*GW 74 MH	7'2"	1	8-17	3/8-1	0.522	6	2 5/16	69.60

IM 6 Competitor Spin/Cast Matte Black Finish / Fast Action **CFC 80 MH is all fiberglass

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
CS 78 ML	6'6"	1	4-10	1/8-3/8	0.400	5	1 11/16	51.60
CS 78 M	6'6"	1	6-12	1/4-3/4	0.407	5	1 7/8	56.40
CS 80 ML	6'8"	1	4-10	1/8-3/8	0.410	5	1 13/16	56.40
CS 84 ML	7'	1	4-10	1/8-3/8	0.435	5	2	56.40
CC 78 ML	6'6"	1	6-15	1/4-1/2	0.400	4.5	1 13/16	56.40
CC 78 M	6'6"	1	8-20	3/8-1	0.410	5	2 3/8	69.60
CC 78 MH	6'6"	1	10-25	3/8-1 1/2	0.425	5	2 5/16	75.60
CC 84 M	7'	1	6-17	1/4-3/4	0.420	5	2 1/2	67.20
CC 84 MH	7'	1	12-25	3/8-1 1/2	0.430	5	2 7/8	75.60
CC 84 H	7'	1	12-30	1/2-2	0.432	5	3	97.20
CFC 80 MH**	6'8"	1	8-20	3/8-1 1/2	0.540	5	3 11/16	32.40

G1000 Freshwater & Light Saltwater Spinning Graphite Polished Finish -Moderate Action

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
GUL 662	5'6"	2	2-6	1/8-3/8	0.310	4.5	3/4	91.20
GFW 72 2L	6'	2	2-8	1/16-1/4	0.315	4.5	7/8	84.00
GFW 78 2ML	6'6"	2	4-10	1/8-1/2	0.335	5	1	94.80
GFW 78 2M	6'6"	2	6-12	1/4-3/4	0.420	5	1 7/8	94.80
GFW 84 2ML	7'	2	4-10	1/4-1/2	0.380	5	1 1/8	94.80
GFW 84 2M	7'	2	6-12	1/4-3/4	0.400	5.5	1 3/8	94.80
GFW 90 2M	7'6"	2	6-12	1/8-5/8	0.490	5	2 1/8	99.60
GFW 93 2UL	7'9"	2	4-8	1/8-1/4	0.353	4	1 3/16	94.80

International Freshwater Graphite Matte Black Finish

Model	Length	Sections	Line	Lure	Butt Dia.	Tip	Wt.	Price
IFW 66 2L	5'6"	2	2-6	1/8-1/4	0.310	5	7/8	26.40
IFW 72 2L	6'	2	2-8	1/8-3/8	0.310	5	1	27.60
IFW 78 UL	6'6"	1	2-8	1/8-3/8	0.350	5	1 3/4	37.20
IFW 78 2L	6'6"	2	4-10	1/8-1/2	0.340	6	1 3/8	37.20
IFW 84 2UL	7'	2	2-8	1/8-1/2	0.350	5	1 3/8	38.40
IFW 84 2L	7'	2	4-10	1/8-1/2	0.380	5	1 1/4	45.60