

SAGE TCX

Evolved from the popular TCR Series, TCX blanks redefine the extreme distance category, as Sage continues to push the outer boundaries of fly rod performance. Sage created a radical new series of tapers and a blank that's lighter, stronger and more powerful than its predecessor. Most importantly, the enhanced line feel and feedback mean intuitively better timing and an extraordinary level of casting ease for ultra-high-performance fly rods.

SAGE ZXL

The ZXL blanks are significantly lighter, stronger and easier to cast for everyone who enjoys the relaxed casting rhythm of a smooth progressive taper. Through the miracle of Sage's G5 process, they have been able to remove every gram of unnecessary material from each blank and replace traditional glass hoop fibers with lighter, more responsive graphite.

SAGE Z-AXIS

Sage went back to the drawing board to create the incredible Z-Axis Series Fast Action blanks. By improving the entire rod-building process, they created a rod that's significantly lighter, stronger and easier to cast for anglers of all skill levels. The Z-Axis offers an entirely new level of fishability with unprecedented line feel, response and performance.

SAGE Z-AXIS

Combine near weightlessness with a groundbreaking level of performance, and the result is the TXL Series blanks. Through Sage's exclusive Generation 5 Technology, they've built an amazingly light fly blank, while increasing strength, smoothness and sensitivity to "line feel." In angling terms, that means you'll cast better, fish more effectively and enjoy yourself more. We're especially proud to offer the TXL in the revolutionary 000, or "triple-ought" line weight.

SAGE Z-AXIS

No matter which saltwater challenges you face-from bonefish to billfish-Xi2 Series blanks let you concentrate on the fish instead of your casting. Built with Sage's innovative Generation 5 (G5) Technology, Xi2 blanks feel lighter and livelier than other saltwater blanks. The Modulus Positioning System (MPS) that Sage developed for these blanks provides a startling level of "line feel" throughout the casting stroke. This enhanced ability to feel the rod load allows you to apply power more efficiently.

SAGE Z-AXIS

VT2 Series blanks are designed for maximum versatility, smooth performance and great value. Throughout the entire line, Sage has created a taper and action that best fits each specific line weight. VT2 Series blanks provide a light, sensitive feel and an incredibly smooth power curve for faster line speed and easier casting.

SAGE GEAR BLANKS

Sage Gear blanks are designed to provide the discerning angler the ultimate in quality and performance. Four series of Gear blanks feature models for everything from ocean fishing to river fishing for steelhead and all species of salmon.



TCX 4-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
490-4 TCX	4	9'0"	4	.375	3.5	1 5/8	468.00
590-4 TCX	5	9'0"	4	.385	3.5	1 11/16	477.60
690-4 TCX	6	9'0"	4	.390	4.0	1 13/16	477.60
790-4 TCX	7	9'0"	4	.395	4.0	2	486.00
796-4 TCX	7	9'6"	4	.420	4.0	2 1/16	489.60
7100-4 TCX	7	10'0"	4	.425	4.0	2 1/4	492.00
890-4 TCX	8	9'0"	4	.405	4.0	2 1/8	489.60
990-4 TCX	9	9'0"	4	.410	4.5	2 3/16	489.60
1090-4 TCX	10	9'0"	4	.455	4.5	2 3/8	489.60

TCX Two Handed

9140-4 TCX	9	14'0"	4	.610	5.5	5 7/16	537.60
10150-4	10	15'0"	4	.620	5.5	6 1/2	555.60

ZXL 4-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
280-4 ZXL	2	8'0"	4	.310	3.5	1	408.00
376-4 ZXL	3	7'6"	4	.290	3.5	1	405.60
386-4 ZXL	3	8'6"	4	.320	3.5	1 1/8	411.60
476-4 ZXL	4	7'6"	4	.300	3.5	1 1/16	405.60
480-4 ZXL	4	8'0"	4	.320	3.5	1 1/8	411.60
486-4 ZXL	4	8'6"	4	.340	3.5	1 3/16	411.60
490-4 ZXL	4	9'0"	4	.370	4.0	1 1/4	414.00
580-4 ZXL	5	8'0"	4	.325	3.5	1 5/16	408.00
586-4 ZXL	5	8'6"	4	.355	4.0	1 7/16	408.00
590-4 ZXL	5	9'0"	4	.360	4.0	1 1/2	417.60
690-4 ZXL	6	9'0"	4	.375	4.0	1 5/8	417.60

Z-Axis 2-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
490 Z-Axis	4	9'0"	2	.355	3.5	1 1/4	378.00
586 Z-Axis	5	8'6"	2	.335	3.5	1 1/4	378.00
590 Z-Axis	5	9'0"	2	.360	3.5	1 3/8	381.60
690 Z-Axis	6	9'0"	2	.370	4.0	1 7/16	381.60
890 Z-Axis	8	9'0"	2	.388	4.0	1 9/16	384.00

Z-Axis 4-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
390-4 Z-Axis	3	9'0"	4	.350	3.5	1 1/4	414.00
486-4 Z-Axis	4	8'6"	4	.330	3.5	1 3/16	411.60
490-4 Z-Axis	4	9'0"	4	.370	3.5	1 5/16	414.00
496-4 Z-Axis	4	9'6"	4	.385	3.5	1 7/16	417.60
4100-4 Z-Axis	4	10'0"	4	.390	3.5	1 5/8	420.00
576-4 Z-Axis	5	7'6"	4	.310	3.5	1 1/8	405.60
586-4 Z-Axis	5	8'6"	4	.360	3.5	1 5/16	414.00
590-4 Z-Axis	5	9'0"	4	.375	3.5	1 1/2	417.60
596-4 Z-Axis	5	9'6"	4	.390	4.0	1 3/8	420.00
5100-4 Z-Axis	5	10'0"	4	.400	4.0	1 9/16	423.60
5110-4 Z-Axis	5	11'0"	4	.410	4.0	1 11/16	429.60
690-4 Z-Axis	6	9'0"	4	.380	3.5	1 9/16	417.60
696-4 Z-Axis	6	9'6"	4	.395	4.0	1 5/8	420.00
6100-4 Z-Axis	6	10'0"	4	.405	4.0	1 11/16	423.60
6110-4 Z-Axis	6	11'0"	4	.420	4.0	1 3/4	429.60
790-4 Z-Axis	7	9'0"	4	.395	4.0	1 5/8	420.00
796-4 Z-Axis	7	9'6"	4	.405	4.0	1 11/16	423.60
7100-4 Z-Axis	7	10'0"	4	.415	4.0	1 13/16	426.00
7110-4 Z-Axis	7	11'0"	4	.425	4.0	1 15/16	435.60
890-4 Z-Axis	8	9'0"	4	.400	4.0	1 11/16	420.00
896-4 Z-Axis	8	9'6"	4	.415	4.0	1 13/16	423.60
8100-4 Z-Axis	8	10'0"	4	.425	4.0	2	426.00
8110-4 Z-Axis	8	11'0"	4	.430	4.5	2 1/8	435.60
990-4 Z-Axis	9	9'0"	4	.425	4.5	1 13/16	423.60
9100-4 Z-Axis	9	10'0"	4	.435	4.5	2 1/8	429.60
1090-4 Z-Axis	10	9'0"	4	.450	4.5	2	429.60

Z-Axis Two Handed

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
5126-4 Z-Axis	5	12'6"	4	.465	4.5	3 1/4	456.00
6126-4 Z-Axis	6	12'6"	4	.475	4.5	3 7/16	462.00
7136-4 Z-Axis	7	13'6"	4	.510	4.5	3 7/8	480.00
8129-4 Z-Axis	8	12'9"	4	.540	5.0	4 1/2	471.60
8134-4 Z-Axis	8	13'4"	4	.535	5.0	4 15/16	477.60
9143-4 Z-Axis	9	14'3"	4	.560	5.0	4 15/16	507.60
10150-4 Z-Axis	10	15'0"	4	.575	5.0	5 3/8	531.60
10160-4 Z-Axis	10	16'0"	4	.630	5.5	5 3/4	552.00

TXL 3-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
000710-3 TXL	000	7'10"	3	.255	3.5	5/8	336.00
00710-3 TXL	00	7'10"	3	.275	3.5	11/16	336.00
0710-3 TXL	0	7'10"	3	.280	3.5	3/4	336.00
1710-3 TXL	1	7'10"	3	.285	3.5	13/16	339.60
2710-3 TXL	2	7'10"	3	.290	3.5	7/8	339.60
363-3 TXL	3	6'3"	3	.225	3.5	11/16	333.60
370-3 TXL	3	7'0"	3	.245	4.0	9/16	336.00
3710-3 TXL	3	7'10"	3	.295	4.0	15/16	342.00
470-3 TXL	4	7'0"	3	.250	4.0	5/8	336.00
4710-3 TXL	4	7'10"	3	.300	4.0	1	345.60

Xi2 4-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
690-4 Xi2	6	9'0"	4	.395	4.0	1 3/4	414.00
790-4 Xi2	7	9'0"	4	.400	4.0	1 15/16	417.60
796-4 Xi2	7	9'6"	4	.385	4.0	2 1/16	420.00
890-4 Xi2	8	9'0"	4	.405	4.5	2 1/16	417.60
990-4 Xi2	9	9'0"	4	.415	4.5	2 1/4	420.00
1090-4 Xi2	10	9'0"	4	.435	4.5	2 7/16	426.00
1190-4 Xi2	11	9'0"	4	.505	5.0	2 7/8	444.00
1290-4 Xi2	12	9'0"	4	.515	5.0	3	450.00
1390-4 Xi2	13	9'0"	4	.535	5.0	3 3/16	450.00
1480-4 Xi2	14	8'0"	4	.535	5.0	4	450.00
1680-4 Xi2	16	8'0"	4	.565	5.0	4 3/16	453.60

VT2 4-Piece

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
379-4 VT2	3	7'9"	4	.319	3.5	1 1/8	261.60
386-4 VT2	3	8'6"	4	.352	3.5	1 1/4	261.60
479-4 VT2	4	7'9"	4	.323	3.5	1 3/16	261.60
486-4 VT2	4	8'6"	4	.355	3.5	1 3/8	261.60
490-4 VT2	4	9'0"	4	.375	3.5	1 1/2	261.60
586-4 VT2	5	8'6"	4	.365	3.5	1 1/2	270.00
590-4 VT2	5	9'0"	4	.375	4.0	1 9/16	270.00
596-4 VT2	5	9'6"	4	.380	4.0	1 3/4	270.00
690-4 VT2	6	9'0"	4	.390	4.0	1 13/16	270.00
696-4 VT2	6	9'6"	4	.395	4.0	1 15/16	270.00
790-4 VT2	7	9'0"	4	.395	4.0	2	279.60
796-4 VT2	7	9'6"	4	.400	4.0	2 1/16	279.60
890-4 VT2	8	9'0"	4	.405	4.0	2 1/8	279.60
896-4 VT2	8	9'6"	4	.410	4.5	2 3/8	279.60
990-4 VT2	9	9'0"	4	.410	4.5	2 3/16	279.60
1090-4 VT2	10	9'0"	4	.420	4.5	2 3/8	279.60

VT2 Two Handed

Model	LINE	LENGTH	PCS	BUTT	TIP	Wt. (oz)	PRICE
7130-4 VT2	7	13'0"	4	.485	5.0	4 3/4	336.00
8139-4 VT2	8	13'9"	4	.540	5.5	5 5/8	351.60
9144-4 VT2	9	14'4"	4	.590	5.5	6 1/4	366.00



My brother Wayne with a nice Tasmanian brown trout

SAGE GEAR



Sage gear blanks are once again available! This series has been extensively tested and new designs added to the already famous line-up. The old favourites are back along with some new models to round out the series. This series has a blank for every steelhead and salmon fishing application; from light freshwater to saltwater downrigger and mooching to heavy bar blanks.

Casting

Model	Length	Line	Pieces	Lure (oz.)	Butt	Tip	Price
CT 286F	8' 6"	6-15 lb.	2	3/16 - 3/4	0.510	4.5	294.00
CT 290F	9' 0"	6-15 lb.	2	3/16 - 3/4	0.547	4.5	294.00
CT 296F	9' 6"	6-15 lb.	2	3/16 - 3/4	0.598	4.5	306.00
CT 386F	8' 6"	8-20 lb.	2	1/4 - 1	0.545	5.0	294.00
CT 396F	9' 6"	8-20 lb.	2	1/4 - 1	0.616	5.0	306.00
CT 390	9' 0"	10-20 lb.	2	1/4 - 1 1/4	0.675	5.5	300.00
CT 490	9' 0"	12-25 lb.	2	3/8 - 1 1/2	0.679	5.0	300.00
CT 2106	10' 6"	8-17 lb.	2	1/4 - 1	0.586	6.0	312.00
CT 3106	10' 6"	10-20 lb.	2	3/8 - 1 1/4	0.730	5.5	312.00
CT 3113M	11' 3"	10-20 lb.	2	1/4 - 1	0.659	6.0	318.00
CT 4110	11' 0"	14-25 lb.	2	3/8 - 1 1/2	0.700	6.0	318.00
CT 4120	12' 0"	14-25 lb.	2	3/8 - 1 1/2	0.704	6.5	324.00

Centerpin

Model	Length	Line	Pieces	Lure (oz.)	Butt	Tip	Price
CP 3106L	10' 6"	8-17 lb.	2	1 - 1 3/4	0.535	6.0	312.00
CP 3113M	11' 3"	12-20 lb.	2	1 1/4 - 2	0.659	6.0	318.00

Saltwater

Model	Length	Line	Pieces	Lure (oz.)	Butt	Tip	Price
SA 3106	10' 6"	12-25 lb.	2	3 - 8	0.730	5.5	312.00
SA 4100	10' 0"	15-30 lb.	2	6 - 12	0.731	6.0	306.00
SA 4110	11' 0"	15-30 lb.	2	6 - 12	0.696	6.0	318.00
SA 4120	12' 0"	15-30 lb.	2	6 - 12	0.695	6.5	324.00

Spinning

Model	Length	Line	Pieces	Lure (oz.)	Butt	Tip	Price
SP 196	9' 6"	4-10 lb.	2	1/16 - 1/2	0.421	4.5	294.00
SP 286	8' 6"	8-17 lb.	2	3/16 - 3/4	0.440	4.5	288.00
SP 290	9' 0"	8-17 lb.	2	3/16 - 3/4	0.450	4.5	291.60
SP 296	9' 6"	8-17 lb.	2	3/16 - 3/4	0.598	4.5	255.00
SP 260-3	6'0"	4-10 lb.	3	1/8 - 3/8	.360	4	160.00
SP 370-3	7'0"	6-12 lb.	3	1/4 - 1/2	.470	4	165.00
SP 470-3	7'0"	8-17 lb.	3	3/8 - 5/8	.480	4.5	170.00
SP 570-3	7'0"	10-20 lb.	3	1/2 - 2	.610	6	175.00