

ST. CROIX ROD BLANKS



SC V - Our high modulus/high strain graphite is the ultimate in high performance. SC V delivers greater strength without sacrificing fishing performance. Results in fast, quick loading rods that cast with unbelievable ease and accuracy. Combined with our 100% carbon matte scrim to create blanks with weights up to 20% lighter than competitive models.

SC IV - An extraordinary high performance, high modulus graphite. Produces extremely lightweight rods with crisp, fast action and an incredible transfer of power. Also very sensitive.

SC III - An advanced high modulus graphite that delivers maximum durability and sensitivity. SC III is not as fast as SC IV, but creates rods with a smooth, light feel in the hand. Superb power.

SC II - Powerful, durable graphite. Very light and sensitive. Great performance versus cost.

SC I IW - Our advanced graphite material. We took our reliable standard modulus SC II graphite and a woven layout. The result is a blank with superior hoop strength and incredibly high impact resistance. Used exclusively in our Premier Saltwater offshore rods.

SC I - Our own specialized linear fiberglass matrix. Stronger, lighter and higher in modulus than ordinary fiberglass. Produces a softer action than graphite that is ideal for trolling and fishing fast reaction baits such as crankbaits and spinnerbaits.

E-GLASS - Traditional, premium quality fiberglass with our custom resin system. Very durable and dependable. Designed for rugged saltwater use.



SC^V GRAPHITE FRESHWATER FLY BLANKS (GLOSS GALLATIN GREEN FINISH)

MODEL	LENGTH	LINE	PCS.	ACTION	BUTT	TIP	WT. (OZ)	PRICE
5FF793.4	7'9"	3	4	FAST	0.285	3.0	1.0	276.00
5FF864.4	8'6"	4	4	FAST	0.325	4.0	1.3	300.00
5FF904.4	9'	4	4	FAST	0.315	3.5	1.4	312.00
5FF865.4	8'6"	5	4	FAST	0.330	4.0	1.5	300.00
5FF905.4	9'	5	4	FAST	0.325	3.5	1.6	312.00
5FF906.4	9'	6	4	FAST	0.340	4.0	1.7	312.00
5FF907.4	9'	7	4	FAST	0.350	4.0	1.8	324.00
5FF967.4	9'6"	7	4	FAST	0.350	4.0	1.9	336.00
5FF908.4	9'	8	4	FAST	0.375	4.0	1.9	336.00
5FF968.4	9'6"	8	4	FAST	0.380	4.0	2.0	348.00
5FF909.4	9'	9	4	FAST	0.385	4.0	2.1	348.00
5FF9010.4	9'	10	4	FAST	0.405	4.0	2.3	360.00

SC^V GRAPHITE SALTWATER FLY BLANKS (GLOSS BELIZE BLUE FINISH)

MODEL	LENGTH	LINE	PCS.	ACTION	BUTT	TIP	WT. (OZ)	PRICE
5FS906.4	9'	6	4	FAST	0.360	4.0	1.8	318.00
5FS907.4	9'	7	4	FAST	0.380	4.0	2.0	330.00
5FS908.4	9'	8	4	FAST	0.400	4.0	2.1	342.00
5FS909.4	9'	9	4	FAST	0.415	4.0	2.3	354.00
5FS9010.4	9'	10	4	FAST	0.425	4.0	2.5	366.00
5FS9012.4	9'	12	4	FAST	0.440	5.0	2.8	378.00



SC^{IV} GRAPHITE FLY BLANKS (MATTE SPRUCE GREEN FINISH)

MODEL	LENGTH	LINE	PCS.	ACTION	BUTT	TIP	WT. (OZ)	PRICE
4F762.4	7'6"	2 WT.	4	FAST	0.245	3.0	0.9	228.00
4F793.4	7'9"	3 WT.	4	FAST	0.290	3.5	1.0	240.00
4F764.4	7'6"	4 WT.	4	FAST	0.315	4.0	1.3	240.00
4F804.4	8'	4 WT.	4	FAST	0.320	4.0	1.4	240.00
4F864.4	8'6"	4 WT.	4	FAST	0.325	4.0	1.4	252.00
4F904.2	9'	4 WT.	2	FAST	0.345	4.0	1.7	216.00
4F904.4	9'	4 WT.	4	FAST	0.335	4.0	1.8	264.00
4F805.4	8'	5 WT.	4	FAST	0.330	4.0	1.5	252.00
4F865.4	8'6"	5 WT.	4	FAST	0.330	4.0	1.5	264.00
4F905.2	9'	5 WT.	2	FAST	0.360	4.5	1.8	216.00
4F905.4	9'	5 WT.	4	FAST	0.340	4.0	1.7	264.00
4F905.5	9'	5 WT.	5	FAST	0.345	4.0	2.1	312.00
4F1005.4	10'	5 WT.	4	FAST	0.370	4.0	2.3	300.00
4F906.2	9'	6 WT.	2	FAST	0.365	4.5	1.9	216.00
4F906.4	9'	6 WT.	4	FAST	0.345	4.0	1.7	264.00
4F906.5	9'	6 WT.	5	FAST	0.360	4.0	2.1	312.00
4F1006.4	10'	6 WT.	4	FAST	0.385	4.0	2.6	300.00
4F907.4	9'	7 WT.	4	FAST	0.350	4.5	1.7	276.00
4F967.4	9'6"	7 WT.	4	FAST	0.360	4.5	2.1	288.00
4F1007.4	10'	7 WT.	4	FAST	0.390	4.5	2.7	312.00
4F898.4	8'9"	8 WT.	4	MOD. FAST	0.380	4.5	2.0	288.00
4F908.2	9'	8 WT.	2	FAST	0.415	4.5	2.3	228.00
4F908.4	9'	8 WT.	4	FAST	0.385	4.5	2.0	276.00
4F908.5	9'	8 WT.	5	FAST	0.380	4.5	2.3	324.00
4F968.4	9'6"	8 WT.	4	FAST	0.380	4.5	2.3	288.00
4F1008.4	10'	8 WT.	4	FAST	0.415	4.5	2.8	312.00
4F909.2	9'	9 WT.	2	FAST	0.425	4.5	2.5	240.00
4F909.4	9'	9 WT.	4	FAST	0.395	4.5	2.2	288.00
4F1069.4	10'6"	9 WT.	4	FAST	0.510	5.0	3.2	324.00
4F9010.4	9'	10 WT.	4	FAST	0.410	4.5	2.4	312.00
4F9012.4	9'	12 WT.	4	FAST	0.440	5.0	3.0	336.00
4F12667.4	12'6"	6/7 WT.	4	MOD. FAST	0.470	4.5	3.8	348.00
4F1378.4	13'	7/8 WT.	4	MOD. FAST	0.485	4.5	4.3	384.00
4F1489.4	14'	8/9 WT.	4	MOD. FAST	0.535	5.0	5.4	432.00
4F15910.4	15'	9/10 WT.	4	MOD. FAST	0.600	5.5	6.4	456.00



SC^{III} GRAPHITE FLY BLANKS (GLOSS CANTEEN GREEN PEARL FINISH)

MODEL	LENGTH	LINE	PCS.	ACTION	BUTT	TIP	WT. (OZ)	PRICE
3F762.4	7'6"	2	4	MOD. FAST	0.250	3.0	0.9	168.00
3F603.2	6'	3	2	MOD. FAST	0.290	3.5	0.7	120.00
3F703.2	7'	3	2	MOD. FAST	0.280	3.5	0.8	132.00
3F793.4	7'9"	3	4	MOD. FAST	0.285	3.5	1.0	180.00
3F664.4	6'6"	4	4	MOD. FAST	0.280	3.5	0.9	168.00
3F764.4	7'6"	4	4	MOD. FAST	0.295	3.5	1.0	180.00
3F804.4	8'	4	4	MOD. FAST	0.320	4.0	1.4	180.00
3F864.4	8'6"	4	4	MOD. FAST	0.325	4.0	1.5	192.00
3F904.2	9'	4	2	MOD. FAST	0.380	4.5	1.9	144.00
3F904.4	9'	4	4	MOD. FAST	0.335	4.5	1.8	192.00
3F805.4	8'	5	4	MOD. FAST	0.340	4.5	1.5	192.00
3F865.4	8'6"	5	4	MOD. FAST	0.330	4.5	1.5	204.00
3F905.2	9'	5	2	MOD. FAST	0.390	4.5	2.0	156.00
3F905.4	9'	5	4	MOD. FAST	0.340	4.5	1.9	204.00
3F906.2	9'	6	2	MOD. FAST	0.405	4.5	2.1	156.00
3F906.4	9'	6	4	MOD. FAST	0.345	4.5	1.9	204.00
3F907.4	9'	7	4	MOD. FAST	0.355	4.5	2.0	216.00
3F967.4	9'6"	7	4	MOD. FAST	0.355	4.5	2.1	228.00
3F908.2	9'	8	2	MOD. FAST	0.410	4.5	2.2	168.00
3F908.4	9'	8	4	MOD. FAST	0.375	4.5	2.1	216.00
3F968.4	9'6"	8	4	MOD. FAST	0.380	4.5	2.3	228.00
3F909.2	9'	9	2	MOD. FAST	0.430	4.5	2.4	180.00
3F909.4	9'	9	4	MOD. FAST	0.395	4.5	2.3	228.00
3F9010.4	9'	10	4	MOD. FAST	0.405	4.5	2.4	228.00
3F1378.3	13'	7/8	3	MOD. FAST	0.465	5.5	4.8	240.00
3F14910.3	14'	9/10	3	MOD. FAST	0.590	6.0	5.8	252.00
3F151011.3	15'	10/11	3	MOD. FAST	0.595	6.5	6.8	264.00



SC^{II} GRAPHITE FLY BLANKS (SATIN BLACK FINISH)

MODEL	LENGTH	LINE	PCS.	ACTION	BUTT	TIP	WT. (OZ.)	PRICE
2F764.2	7'6"	4.00	2.00	MOD. FAST	0.31	4.00	1.00	96.00
2F764.4	7'6"	4	4	MOD. FAST	0.310	4.0	1.1	126.00
2F804.2	8'	4.00	2.00	MOD. FAST	0.39	4.50	1.60	102.00
2F804.4	8'	4	4	MOD. FAST	0.345	4.5	1.7	132.00
2F805.2	8'	5.00	2.00	MOD. FAST	0.40	4.50	1.70	108.00
2F805.4	8'	5	4	MOD. FAST	0.360	4.5	1.8	138.00
2F865.2	8'6"	5.00	2.00	MOD. FAST	0.43	4.50	2.00	108.00
2F865.4	8'6"	5	4	MOD. FAST	0.380	4.0	2.1	138.00
2F905.2	9'	5.00	2.00	MOD. FAST	0.44	4.50	2.10	108.00
2F905.4	9'	5	4	MOD. FAST	0.390	4.5	2.2	144.00
2F766.2	7'6"	6.00	2.00	MOD. FAST	0.36	4.00	1.30	96.00
2F906.2	9'	6	2	MOD. FAST	0.455	4.5	2.3	108.00
2F906.4	9'	6.00	4.00	MOD. FAST	0.43	4.50	2.40	144.00
2F907.4	9'	7	4	MOD. FAST	0.460	4.5	2.5	150.00
2F908.2	9'	8.00	2.00	MOD. FAST	0.47	5.00	2.50	114.00
2F908.4	9'	8	4	MOD. FAST	0.480	5.0	2.7	144.00
2F968.4	9'6"	8.00	4.00	MOD. FAST	0.50	5.00	2.90	150.00
2F909.2	9'	9	2	MOD. FAST	0.480	5.0	2.6	114.00
2F764.6	7'6"	8.46	3.18	MOD. FAST	0.50	4.93	2.89	136.51

SC^V GRAPHITE SPINNING BLANKS (GLOSS FOREST GREEN PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
5S66LF-G	6'6"	L	FAST	1	4-8	1/16-1/4	0.390	4.0	1.1	168.00
5S70LF-G	7'	L	FAST	1	4-8	1/16-1/4	0.395	4.0	1.3	180.00
5S60MLF-G	6'	ML	FAST	1	4-10	1/8-3/8	0.425	4.0	1.1	162.00
5S66MLF-G	6'6"	ML	FAST	1	4-10	1/8-3/8	0.450	3.5	1.3	174.00
5S66MLF2-G	6'6"	ML	FAST	2	4-10	1/8-3/8	0.450	4.0	1.4	186.00
5S70MLF-G	7'	ML	FAST	1	4-10	1/8-3/8	0.465	4.0	1.5	186.00
5S70MLF2-G	7'	ML	FAST	2	4-10	1/8-3/8	0.455	4.0	1.6	198.00
5S76MLF-G	7'6"	ML	FAST	1	4-10	1/8-3/8	0.485	4.0	1.7	198.00
5S60MF-G	6'	M	FAST	1	6-12	3/16-5/8	0.425	4.5	1.2	168.00
5S63MXF-G	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.450	4.0	1.4	174.00
5S66MF-G	6'6"	M	FAST	1	6-12	3/16-5/8	0.445	4.5	1.4	180.00
5S66MF2-G	6'6"	M	FAST	2	6-12	3/16-5/8	0.450	4.5	1.5	192.00
5S68MXF-G	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.460	4.5	1.6	186.00
5S70MF-G	7'	M	FAST	1	6-12	3/16-5/8	0.465	4.5	1.6	192.00
5S70MF2-G	7'	M	FAST	2	6-12	3/16-5/8	0.465	4.5	1.7	204.00
5S76MF-G	7'6"	M	FAST	1	6-12	3/16-5/8	0.480	4.5	1.8	204.00
5S66MHF-G	6'6"	MH	FAST	1	8-14	3/8-3/4	0.500	5.0	1.8	192.00
5S70MHF-G	7'	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	2.1	204.00



SC^V GRAPHITE CASTING BLANKS (GLOSS FOREST GREEN PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
5C60MF-G	6'	M	FAST	1	10-17	1/4-5/8	0.425	4.5	1.4	174.00
5C66MF-G	6'6"	M	FAST	1	10-17	1/4-5/8	0.460	4.5	1.8	198.00
5C70MF-G	7'	M	FAST	1	10-17	1/4-5/8	0.465	5.0	2.0	210.00
5C66MHF-G	6'6"	MH	FAST	1	12-20	3/8-1	0.520	5.0	2.2	210.00
5C70MHF-G	7'	MH	FAST	1	12-20	3/8-1	0.530	5.5	2.4	222.00
5C70HF-G	7'	H	FAST	1	14-25	3/8-1 1/2	0.555	6.0	2.5	234.00

SC^{IV} GRAPHITE SPINNING BLANKS (GLOSS COBALT BLUE PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
4S60LF	6'	L	FAST	1	4-8	1/16-1/4	0.350	4.0	1.2	144.00
4S66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.450	4.0	1.4	156.00
4S70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.470	4.0	1.7	168.00
4S76MLF	7'6"	ML	FAST	1	4-10	1/8-3/8	0.445	4.0	1.8	174.00
4S80MLF	8'	ML	FAST	1-TEL.	4-10	1/8-3/8	0.520	4.5	2.8	222.00
4S510MXF	5'10"	M	X-FAST	1	8-12	3/16-5/8	0.425	4.5	1.3	150.00
4S63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.440	4.5	1.4	156.00
4S70MF	7'	M	FAST	1	6-12	3/16-5/8	0.455	5.5	1.8	168.00
4S70MM	7'	M	MOD.	1	4-10	1/8-3/8	0.425	5.0	1.6	156.00
4S70MHM	7'	MH	MOD.	1	6-12	1/4-3/4	0.445	5.0	2.0	168.00

SC^{IV} GRAPHITE CASTING BLANKS (GLOSS COBALT BLUE PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
4C69MLXF	6'9"	ML	X-FAST	1.00	6-10	1/8-1/2	0.45	4.50	1.90	180.00
4C63MF	6'3"	M	FAST	1	10-17	1/4-5/8	0.440	4.5	1.5	168.00
4C66MF	6'6"	M	FAST	1.00	10-17	1/4-5/8	0.45	4.50	1.60	174.00
4C68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.470	4.5	1.8	180.00
4C70MF	7'	M	FAST	1.00	10-17	1/4-5/8	0.48	5.50	2.20	186.00
4C66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.425	6.0	2.5	186.00
4C70MHF	7'	MH	FAST	1.00	12-20	3/8-1	0.54	6.00	2.80	198.00
4C73MHF	7'3"	MH	FAST	1-TEL.	12-25	3/8-1 1/4	0.605	6.5	3.1	270.00
4C76MHMF	7'6"	MH	MOD. FAST	1-TEL.	12-25	3/8-1 1/4	0.31	6.00	3.70	270.00
4C70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.570	6.0	2.9	204.00
4C79HF	7'9"	H	FAST	1.00	14-30	1-4	0.60	6.00	3.20	240.00
4C710HM	7'10"	H	MODERATE	1	12-25	1/2-1 3/8	0.530	5.5	2.7	192.00
4C711HMF	7'11"	H	MOD. FAST	1.00	14-30	1/2-2	0.60	6.00	3.10	216.00
4C80HMF	8'	H	MOD. FAST	1-TEL.	14-30	1/2-2	0.650	6.5	4.4	282.00
4C73XHF	7'3"	XH	FAST	1.00	17-30	1/2-2 1/2	0.60	6.00	3.60	222.00
4C80XHF	8'	XH	FAST	1	20-50	3-8	0.64	7.0	4.4	264.00



SC^{III} GRAPHITE SPINNING BLANKS (CARBON PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
3S46ULF	4'6"	UL	FAST	1	2-6	1/32-3/16	0.275	3.5	0.4	72.00
3S50ULF	5'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.6	78.00
3S56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.275	4.0	0.7	96.00
3S60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.325	3.5	0.8	84.00
3S60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.0	0.8	96.00
3S66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.330	3.5	0.9	90.00
3S66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.320	4.0	1.0	102.00
3S70ULF	7'	UL	FAST	1	2-6	1/32-3/16	0.350	4.0	1.6	96.00
3S70ULM2	7'	UL	MOD.	2	2-6	1/32-3/16	0.310	4.0	1.5	108.00
3S60LF	6'	L	FAST	1	4-8	1/16-1/4	0.330	4.0	1.0	96.00
3S66LF	6'6"	L	FAST	1	4-8	1/16-1/4	0.350	3.5	1.2	102.00
3S66LF2	6'6"	L	FAST	2	4-8	1/16-1/4	0.335	4.0	1.1	114.00
3S60MLF	6'	ML	FAST	1	4-10	1/8-3/8	0.385	4.5	1.3	102.00
3S63MLXF	6'3"	ML	X-FAST	1	4-8	1/16-3/8	0.405	4.0	1.6	102.00
3S66MLF	6'6"	ML	FAST	1	4-10	1/8-3/8	0.400	4.5	1.5	108.00
3S66MLF2	6'6"	ML	FAST	2	4-10	1/8-3/8	0.415	4.5	1.6	120.00
3S69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-3/8	0.400	4.0	1.7	114.00
3S70MLF	7'	ML	FAST	1	4-10	1/8-3/8	0.410	4.5	1.8	114.00
3S70MLF2	7'	ML	FAST	2	4-10	1/8-3/8	0.420	4.0	1.8	126.00
3S76MLXF	7'6"	ML	X-FAST	1	4-10	1/8-3/8	0.420	4.0	2.0	120.00
3S76MLXF2	7'6"	ML	X-FAST	2	4-10	1/8-3/8	0.430	4.0	2.0	132.00
3S80MLM2	8'	ML	MOD.	2	4-8	1/16-5/16	0.400	4.5	1.7	126.00
3S59MXF	5'9"	M	X-FAST	1	6-10	1/8-1/2	0.485	4.5	1.4	102.00
3S60MF	6'	M	FAST	1	6-12	3/16-5/8	0.465	5.0	1.4	102.00
3S63MXF	6'3"	M	X-FAST	1	6-10	1/8-1/2	0.505	4.5	1.7	102.00
3S66MF	6'6"	M	FAST	1	6-12	3/16-5/8	0.500	5.0	1.6	114.00
3S66MF2	6'6"	M	FAST	2	6-12	3/16-5/8	0.515	4.0	1.8	126.00
3S68MXF	6'8"	M	X-FAST	1	6-12	3/16-5/8	0.515	4.5	1.9	114.00
3S70MF	7'	M	FAST	1	6-12	3/16-5/8	0.510	4.5	1.9	120.00
3S70MF2	7'	M	FAST	2	6-12	3/16-5/8	0.530	4.0	1.9	132.00
3S66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	5.5	1.9	120.00
3S66MHF2	6'6"	MH	FAST	2	8-14	3/8-3/4	0.525	4.5	2.0	132.00
3S70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.530	6.0	2.3	126.00



SC^{III} GRAPHITE CASTING BLANKS (CARBON PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
3C66MLF	6'6"	ML	FAST	1	8-12	3/16-1/2	0.410	5.0	1.7	114.00
3C69MLXF	6'9"	ML	X-FAST	1	6-10	1/8-1/2	0.410	4.0	1.8	120.00
3C60MF	6'	M	FAST	1	10-17	1/4-5/8	0.475	5.5	1.6	108.00
3C62MXF	6'2"	M	X-FAST	1	8-14	1/4-5/8	0.505	4.5	1.7	114.00
3C66MF	6'6"	M	FAST	1	10-17	1/4-5/8	0.505	5.5	1.8	120.00
3C66MM	6'6"	M	MOD.	1	8-14	1/4-5/8	0.405	4.5	1.3	108.00
3C68MXF	6'8"	M	X-FAST	1	8-14	1/4-5/8	0.520	4.5	2.0	120.00
3C70MF	7'	M	FAST	1	10-17	1/4-5/8	0.515	5.5	2.0	126.00
3C70MM	7'	M	MOD.	1	8-14	1/4-5/8	0.420	4.5	1.4	114.00
3C60MHF	6'	MH	FAST	1	12-20	3/8-1	0.515	5.5	2.0	114.00
3C66MHF	6'6"	MH	FAST	1	12-20	3/8-1	0.525	6.5	2.3	126.00
3C66MHM	6'6"	MH	MOD.	1	10-20	3/8-1	0.430	5.0	1.7	114.00
3C70MHF	7'	MH	FAST	1	12-20	3/8-1	0.535	6.5	2.6	132.00
3C70MHM	7'	MH	MOD.	1	10-20	3/8-1	0.440	5.0	1.9	120.00
3C76MHMF	7'6"	MH	MOD. FAST	1	12-25	3/8-1 1/4	0.560	6.0	3.3	156.00
3C66HF	6'6"	H	FAST	1	14-25	3/8-1 1/2	0.550	6.0	2.5	132.00
3C70HF	7'	H	FAST	1	14-25	3/8-1 1/2	0.565	7.0	2.7	138.00
3C70HM	7'	H	MOD.	1	12-25	1/2-1 3/8	0.465	6.5	2.5	132.00
3C710HMF	7'10"	H	MOD. FAST	1-TEL.	14-30	1/2-2	0.645	7.5	4.1	216.00

SC^{II} GRAPHITE CASTING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
2C76LM	7'6"	L	MOD.	1	4-10	1/16-3/8	0.445	4.5	2.2	90.00
2C60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.425	5.0	1.5	90.00
2C66MLF	6'6"	ML	FAST	1	8-14	3/16-5/8	0.415	5.5	2.0	90.00
2C70MLF	7'	ML	FAST	1	8-14	3/16-5/8	0.450	5.5	2.1	96.00
2C56MF	5'6"	M	FAST	1	8-14	1/4-5/8	0.450	5.5	1.3	84.00
2C60MF	6'	M	FAST	1	10-17	1/4-3/4	0.480	5.5	1.6	90.00
2C66MF	6'6"	M	FAST	1	10-17	1/4-3/4	0.510	6.0	2.0	96.00
2C66MF2	6'6"	M	FAST	2	10-17	1/4-3/4	0.535	4.5	1.9	108.00
2C66MM	6'6"	M	MOD.	1	8-14	1/4-5/8	0.420	5.0	1.4	90.00
2C70MF	7'	M	FAST	1	10-17	1/4-3/4	0.520	6.0	2.2	102.00
2C70MM	7'	M	MOD.	1	8-14	1/4-5/8	0.430	5.0	1.5	96.00
2C60MHF	6'	MH	FAST	1	10-20	3/8-1	0.485	6.0	1.8	96.00
2C66MHF	6'6"	MH	FAST	1	10-20	3/8-1	0.540	6.5	2.2	102.00
2C66MHF2	6'6"	MH	FAST	2	10-20	3/8-1	0.565	5.0	2.4	114.00
2C66MHM	6'6"	MH	MOD.	1	10-20	3/8-1	0.445	6.0	1.9	96.00
2C70MHF	7'	MH	FAST	1	10-20	3/8-1	0.555	6.5	2.7	108.00
2C70MHM	7'	MH	MOD.	1	10-20	3/8-1	0.460	5.5	2.3	102.00
2C66HF	6'6"	H	FAST	1	12-25	1/2-1 1/2	0.575	6.5	3.0	108.00
2C610HMF	6'10"	H	MOD. FAST	1	12-25	1/4-1	0.605	6.5	2.6	102.00
2C70HF	7'	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.3	114.00
2C70HF2	7'	H	FAST	2	12-25	1/2-1 1/2	0.645	7.0	3.2	126.00
2C70HM	7'	H	MOD.	1	12-25	1/2-1 3/8	0.480	6.0	2.6	108.00
2C76HF	7'6"	H	FAST	1	12-25	1/2-1 1/2	0.585	6.5	3.5	132.00

SC^{II} GRAPHITE SPINNING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
2S46ULM	4'6"	UL	MOD.	1	2-6	1/16-1/4	0.265	4.0	0.5	60.00
2S50ULM	5'	UL	MOD.	1	2-6	1/16-1/4	0.280	4.0	0.6	66.00
2S56ULF2	5'6"	UL	FAST	2	2-6	1/32-3/16	0.280	4.0	0.7	78.00
2S60ULF	6'	UL	FAST	1	2-6	1/32-3/16	0.305	4.0	0.8	72.00
2S60ULF2	6'	UL	FAST	2	2-6	1/32-3/16	0.285	4.5	0.9	78.00
2S66ULF	6'6"	UL	FAST	1	2-6	1/32-3/16	0.315	4.0	1.0	72.00
2S66ULF2	6'6"	UL	FAST	2	2-6	1/32-3/16	0.310	4.5	1.1	84.00
2S70ULF2	7'	UL	FAST	2	2-6	1/32-3/16	0.320	4.5	1.1	90.00
2S56LF	5'6"	L	FAST	1	4-8	1/16-5/16	0.315	4.5	0.8	72.00
2S60LF	6'	L	FAST	1	4-8	1/16-5/16	0.330	4.5	1.0	78.00
2S60LF4	6'	L	FAST	4	4-8	1/16-5/16	0.310	4.0	1.1	120.00
2S66LF	6'6"	L	FAST	1	4-8	1/16-5/16	0.345	4.5	1.2	78.00
2S66LF2	6'6"	L	FAST	2	4-8	1/16-5/16	0.335	4.5	1.3	90.00
2S86LM2	8'6"	L	MOD.	2	4-8	1/16-5/16	0.385	4.5	1.7	102.00
2S60MLF	6'	ML	FAST	1	4-10	1/8-1/2	0.390	5.0	1.4	84.00
2S60MLF2	6'	ML	FAST	2	4-10	1/8-1/2	0.445	4.5	1.7	90.00
2S66MLF	6'6"	ML	FAST	1	4-10	1/8-1/2	0.395	4.5	1.6	84.00
2S66MLF2	6'6"	ML	FAST	2	4-10	1/8-1/2	0.410	4.5	1.5	96.00
2S66MLF3	6'6"	ML	FAST	3	4-10	1/8-1/2	0.470	4.0	2.0	120.00
2S70MLF	7'	ML	FAST	1	4-10	1/8-1/2	0.435	5.0	1.8	90.00
2S70MLF2	7'	ML	FAST	2	4-10	1/8-1/2	0.485	4.5	1.9	102.00
2S76MLF	7'6"	ML	FAST	1	4-10	1/8-1/2	0.450	4.5	2.1	96.00
2S56MF	5'6"	M	FAST	1	6-12	1/4-5/8	0.440	5.5	1.1	78.00
2S60MF	6'	M	FAST	1	6-12	1/4-5/8	0.465	5.0	1.4	84.00
2S60MF2	6'	M	FAST	2	6-12	1/4-5/8	0.475	4.5	1.5	96.00
2S66MF	6'6"	M	FAST	1	6-12	1/4-5/8	0.495	5.0	1.6	90.00
2S66MF2	6'6"	M	FAST	2	6-12	1/4-5/8	0.530	4.5	1.8	102.00
2S70MF	7'	M	FAST	1	6-12	1/4-5/8	0.505	5.0	1.8	96.00
2S70MF2	7'	M	FAST	2	6-12	1/4-5/8	0.555	4.5	2.0	108.00
2S70MF3	7'	M	FAST	3	6-12	1/4-5/8	0.535	4.5	2.3	132.00
2S60MHF	6'	MH	FAST	1	8-14	3/8-3/4	0.475	6.0	1.7	90.00
2S66MHF	6'6"	MH	FAST	1	8-14	3/8-3/4	0.510	6.0	1.9	96.00
2S66MHF2	6'6"	MH	FAST	2	8-17	1/2-1	0.540	5.0	2.1	108.00
2S70MHF	7'	MH	FAST	1	8-14	3/8-3/4	0.520	6.0	2.2	102.00
2S70HF	7'	H	FAST	1	10-20	1/2-1-1/2	0.540	6.0	2.9	108.00



SC^{IV} GRAPHITE MUSKY (GLOSS COBALT BLUE PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
4M73MHF	7'3"	MH	FAST	1	20-50	3/4-2 1/2	0.615	6.5	3.6	240.00
4M80MHF	8'	MH	FAST	1	20-50	3/4-3	0.620	7.5	4.3	264.00
4M79HMF	7'9"	H	MOD. FAST	1	30-65	2-6	0.610	7.5	4.3	264.00
4M86HF	8'6"	H	FAST	1	30-65	2-6	0.685	7.5	6.2	312.00
4M69XHF	6'9"	XH	FAST	1	36-80	3-8	0.680	9.0	4.1	252.00
4M76XHF	7'6"	XH	FAST	1	36-80	3-8	0.685	9.0	5.1	282.00
4M86XHF	8'6"	XH	FAST	1	36-80	4-10	0.710	9.0	6.4	318.00

SC^{II} GRAPHITE MUSKY/SALTWATER BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	RATING	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
2M610MF	6'10"	M	FAST	1	17-30	1/2-2	0.600	8.0	3.5	120.00
2M66MHF	6'6"	MH	FAST	1	20-50	3/4-3	0.655	8.5	3.4	126.00
2M70MHF	7'	MH	FAST	1	20-50	3/4-3	0.670	8.5	3.8	132.00
2M70MHF2	7'	MH	FAST	2	20-50	3/4-3	0.600	8.0	3.7	138.00
2M76MHF	7'6"	MH	FAST	1	20-50	3/4-3	0.715	7.0	5.4	150.00
2M80MHF	8'	MH	FAST	1	20-50	3/4-3	0.735	7.5	5.8	162.00
2M70HF2	7'	H	FAST	2	30-65	2-6	0.655	11.0	4.3	144.00
2M76HF	7'6"	H	FAST	1	30-65	2-6	0.695	9.0	5.6	156.00
2M80HF	8'	H	FAST	1	30-65	2-6	0.705	9.0	6.2	162.00
2M63XHF	6'3"	XH	FAST	1	36-80	3-8	0.640	10.0	4.2	126.00
2M69XHF	6'9"	XH	FAST	1	36-80	3-8	0.655	10.5	4.7	138.00
2M86XHF	8'6"	XH	FAST	1	36-80	4-10	0.720	9.5	6.8	180.00
2M79XXXHF	7'9"	XXXH	FAST	1	65-100	8-30	0.715	13.5	7.4	192.00

SC^{III} GRAPHITE SALMON/STEELHEAD BLANKS (CARBON PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
3S90LM2	9'	L	MOD.	2	4-8	1/16-3/8	0.440	4.0	2.5	156.00
3S96LM2	9'6"	L	MOD.	2	4-8	1/16-3/8	0.445	4.0	2.7	162.00
3SC90MLF2	9'	ML	FAST	2	6-10	1/8-5/8	0.460	4.0	2.6	156.00
3SC96MLF2	9'6"	ML	FAST	2	6-10	1/8-5/8	0.470	4.0	3.0	162.00
3SC106MLF2	10'6"	ML	FAST	2	6-10	1/8-5/8	0.475	4.0	3.4	168.00
3C80MXF	8'	M	X-FAST	1	10-20	3/8-1	0.555	4.0	2.9	144.00
3SC86MF2	8'6"	M	FAST	2	8-12	1/4-3/4	0.480	4.5	2.6	156.00
3SC90MF2	9'	M	FAST	2	8-12	1/4-3/4	0.485	4.5	2.9	162.00
3SC96MF2	9'6"	M	FAST	2	8-12	1/4-3/4	0.495	4.5	3.2	168.00
3SC106MF2	10'6"	M	FAST	2	8-12	1/4-3/4	0.515	4.5	4.0	180.00
3C76MHXF	7'6"	MH	X-FAST	1	10-20	1-3	0.550	4.5	3.0	144.00
3SC86MHF2	8'6"	MH	FAST	2	8-17	3/8-1	0.515	5.0	2.9	162.00
3SC90MHF2	9'	MH	FAST	2	8-17	3/8-1	0.525	5.0	3.2	168.00
3SC96MHF2	9'6"	MH	FAST	2	8-17	3/8-1	0.535	5.0	3.4	174.00
3C80HF	8'	H	FAST	1	12-25	1-6	0.640	6.0	3.6	156.00
3SC86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.600	5.5	3.2	168.00
3SC90HF2	9'	H	FAST	2	12-25	1/2-2	0.550	5.0	3.3	174.00
3C90HM2	9'	H	MOD.	2	12-25	1/2-2	0.555	5.0	3.5	174.00
3SC96HF2	9'6"	H	FAST	2	12-25	1/2-2	0.570	5.0	3.6	180.00

SC^{II} GRAPHITE SALMON/STEELHEAD BLANKS (SATIN BLACK FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
2S106ULS2	10'6"	UL	SLOW	2	2-6	1/16-1/4	0.420	5.0	2.2	108.00
2S90LM2	9'	L	MOD.	2	4-8	1/8-3/8	0.435	5.5	2.6	108.00
2S116LM2	11'6"	L	MOD.	2	4-10	1/16-1/2	0.455	6.5	3.1	120.00
2S130LM2	13'	L	MOD.	2	2-6	1/16-3/8	0.470	5.0	3.3	132.00
2S76MLF2	7'6"	ML	FAST	2	6-12	1/8-1/2	0.495	5.0	2.0	102.00
2C106MLMF2	10'6"	ML	MOD. FAST	2	8-14	1/8-1/2	0.465	6.0	3.3	138.00
2C80MXF	8'	M	X-FAST	1	8-20	3/8-3	0.600	5.5	3.4	120.00
2C86MF2	8'6"	M	FAST	2	8-12	3/8-3/4	0.485	4.5	3.0	120.00
2C96MF2	9'6"	M	FAST	2	8-12	3/8-3/4	0.485	4.5	3.2	132.00
2C106MMF2	10'6"	M	MOD. FAST	2	8-20	1/4-3/4	0.520	5.5	4.0	144.00
2C86MHF2	8'6"	MH	FAST	2	8-17	3/8-1 1/4	0.525	4.5	3.1	126.00
2C96MHF2	9'6"	MH	FAST	2	8-17	3/8-1 1/4	0.510	4.5	3.3	138.00
2C80HF	8'	H	FAST	1	12-25	1-4	0.585	6.0	3.1	126.00
2C80HF2	8'	H	FAST	2	15-40	3/4-3	0.750	7.0	4.8	156.00
2C86HF2	8'6"	H	FAST	2	12-25	1/2-2	0.580	6.0	3.6	132.00
2C80XHF	8'	XH	FAST	1	15-40	2-8	0.640	7.0	3.7	144.00

SC^{IV} GRAPHITE INSHORE SALTWATER BLANKS (GLOSS BELIZE BLUE FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
4SW70LM	7'	L	MOD.	1	6-12	1/8-3/8	0.420	4.5	2.4	168.00
4SW70MLF	7'	ML	FAST	1	8-14	1/8-1/2	0.465	4.0	1.6	180.00
4SW76MLF	7'6"	ML	FAST	1	8-14	1/8-1/2	0.500	4.5	2.1	186.00
4SW66MF	6'6"	M	FAST	1	8-17	3/8-3/4	0.465	4.5	2.0	180.00
4SW70MF	7'	M	FAST	1	8-17	3/8-3/4	0.475	4.5	2.6	186.00
4SW76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.485	4.5	2.8	192.00
4SW80MF	8'	M	FAST	1	8-17	3/8-3/4	0.500	5.0	3.2	204.00
4SW66MHF	6'6"	MH	FAST	1	10-20	1/2-1 1/4	0.520	5.5	2.5	192.00
4SW70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.540	5.5	2.8	198.00
4SW76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.550	5.5	3.0	210.00



SC^{III} GRAPHITE INSHORE SALTWATER BLANKS (COPPER PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
3SW70LM	7'	L	MOD.	1	6-12	1/8-3/8	0.400	4.5	1.3	126.00
3SW70MLF	7'	ML	FAST	1	6-12	1/8-1/2	0.420	5.0	2.0	138.00
3SW76MLF	7'6"	ML	FAST	1	6-12	1/8-1/2	0.500	4.0	2.1	144.00
3SW80MLF	8'	ML	FAST	1	6-12	1/8-1/2	0.490	4.5	2.1	150.00
3SW66MF	6'6"	M	FAST	1	8-17	3/8-3/4	0.510	5.5	1.9	132.00
3SW70MF	7'	M	FAST	1	8-17	3/8-3/4	0.520	5.5	2.2	144.00
3SW70MM	7'	M	MOD.	1	8-17	1/4-5/8	0.430	4.5	1.6	138.00
3SW76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.530	5.5	2.6	150.00
3SW80MF	8'	M	FAST	1	8-17	3/8-3/4	0.550	6.0	2.9	162.00
3SW66MHF	6'6"	MH	FAST	1	10-20	1/2-1 1/4	0.530	6.0	2.6	144.00
3SW70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.545	6.0	3.0	156.00
3SW76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.565	6.0	3.6	162.00
3SW80MHF	8'	MH	FAST	1	14-30	1/2-2	0.585	6.0	4.1	174.00
3SW70HF	7'	H	FAST	1	15-30	3/4-2	0.595	7.0	3.6	168.00
3SW76HF	7'6"	H	FAST	1	15-30	3/4-2	0.605	7.0	4.2	174.00
3SW80HF	8'	H	FAST	1	17-40	3/4-3	0.665	7.0	4.6	186.00

SC^{II} GRAPHITE INSHORE SALTWATER BLANKS (GLOSS GREEN FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
2SW70LM	7'	L	MOD.	1	6-12	1/8-3/8	0.415	5.0	1.3	102.00
2SW76LM	7'6"	L	MOD.	1	6-12	1/8-3/8	0.430	5.0	1.7	108.00
2SW70MLF	7'	ML	FAST	1	8-14	1/8-1/2	0.455	5.0	2.2	114.00
2SW76MLF	7'6"	ML	FAST	1	8-14	1/8-1/2	0.465	5.0	2.4	120.00
2SW66MF	6'6"	M	FAST	1	8-17	3/8-3/4	0.515	5.5	2.0	108.00
2SW66MM	6'6"	M	MOD.	1	8-17	1/4-5/8	0.440	5.0	1.6	102.00
2SW70MF	7'	M	FAST	1	8-17	3/8-3/4	0.520	5.5	2.2	120.00
2SW70MM	7'	M	MOD.	1	8-17	1/4-5/8	0.450	5.0	1.7	114.00
2SW76MF	7'6"	M	FAST	1	8-17	3/8-3/4	0.545	5.5	2.7	126.00
2SW76MM	7'6"	M	MOD.	1	8-17	1/4-5/8	0.465	5.0	2.1	120.00
2SW80MF	8'	M	FAST	1	8-17	3/8-3/4	0.565	5.5	3.2	138.00
2SW66MHF	6'6"	MH	FAST	1	10-20	1/2-1 1/4	0.520	6.0	2.2	120.00
2SW70MHF	7'	MH	FAST	1	10-20	1/2-1 1/4	0.535	6.0	2.7	132.00
2SW76MHF	7'6"	MH	FAST	1	10-20	1/2-1 1/4	0.575	5.5	3.2	138.00
2SW80MHF	8'	MH	FAST	1	14-30	1/2-2	0.615	6.5	3.7	150.00
2SW66HF	6'6"	H	FAST	1	12-25	3/4-2	0.570	7.0	3.1	132.00
2SW70HF	7'	H	FAST	1	12-25	3/4-2	0.580	7.0	3.5	144.00
2SW76HF	7'6"	H	FAST	1	12-25	3/4-2	0.620	6.5	3.7	150.00
2SW80HF	8'	H	FAST	1	17-40	3/4-3	0.655	7.0	4.8	162.00

SC^{IV} GRAPHITE SURF BLANKS (BELIZE BLUE / 1PC or BELIZE BLUE/SATIN CARBON FINISH / 2PC)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
4SRS70MMF	7'	M	MOD. FAST	1	8-17	5/8-2	0.650	6.0	2.7	204.00
4SRS80MMF	8'	M	MOD. FAST	1	8-17	3/4-3	0.695	6.0	3.6	228.00
4SRS90MMF2	9'	M	MOD. FAST	2	10-20	1-4	0.740	7.0	4.9	276.00
4SRS90MM2	9'	M	MODERATE	2	10-20	3/4-4	0.740	7.0	4.8	276.00
4SRS100MMF2	10'	M	MOD. FAST	2	10-20	1-4	0.745	8.0	5.6	312.00
4SRS106MM2	10'6"	M	MODERATE	2	10-20	3/4-4	0.780	7.0	5.9	324.00
4SRS106MHMF2	10'6"	MH	MOD. FAST	2	12-25	2-6	0.780	7.0	6.0	336.00

SC^{II} / SC^{III} GRAPHITE SURF BLANKS (SATIN BLACK FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
2SRS70L	7'	L	MOD. FAST	1	4-8	1/4-5/8	0.570	5.0	2.4	108.00
2SRS70ML	7'	ML	MOD. FAST	1	6-10	3/8-3/4	0.600	6.5	2.9	114.00
2SRS70M	7'	M	MOD. FAST	1	8-17	1/2-2	0.575	7.5	3.4	120.00
2SRS80M	8'	M	MOD. FAST	1	6-17	1/2-2	0.645	8.0	4.8	156.00
2SRS86M2	8'6"	M	MOD. FAST	2	6-17	1/2-2	0.840	8.0	5.6	186.00
2SRS100M2	10'	M	MOD. FAST	2	6-20	3/4-4	0.815	8.0	8.3	204.00
2SRS106MH2	10'6"	MH	MOD. FAST	2	10-25	2-6	0.880	12.0	12.8	252.00
2SRS116MH2	11'6"	MH	MOD. FAST	2	10-25	2-6	0.990	12.0	13.7	282.00
2SRS106H2	10'6"	H	MOD. FAST	2	15-30	4-8	0.885	15.0	12.6	258.00
2SRC120XH2	12'	XH	MOD. FAST	2	20-60	4-16	1.200	14.0	18.0	336.00

SC^I GLASS CRANKBAIT & TROLLING BLANKS (GLOSS BLACK PEARL FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	LINE	LURE (OZ.)	BUTT	TIP	WT. (OZ.)	PRICE
1C66MM	6'6"	M	MOD. FAST	1	10-17	1/4-3/4	0.590	5.0	2.5	96.00
1C70MM	7'	M	MOD. FAST	1	10-17	1/4-3/4	0.595	5.0	2.8	102.00
1C80MM	8'	M	MOD.	1-TEL.	10-20	N/A	0.660	7.5	4.0	138.00

SOLID CARBON ICE BLANKS (MATTE GRAY FINISH)

MODEL	LENGTH	POWER	ACTION	PCS.	BUTT	TIP	PRICE
SCB24UL	24"	UL	FAST	1	0.125	2.5	14.40
SCB28UL	28"	UL	FAST	1	0.125	2.5	14.40

